

NIO eL7



PRIJSLIJST

NEDERLAND

01/2024

Please find the
English Version
below

NIO eL7

Overzicht

Prijzen & Opties

- Voertuig & Batterij
 - Velgen & Remklauwen
 - Exterieur- & Interieurkleuren
 - Verdere opties
-

Subscription-varianten

- Beschikbare varianten
 - Beschikbare kleurencombinaties
-

Standaarduitrusting

- Afmetingen & Gewichten
- Prestaties
- E-Aandrijflijn
- Laadkabels
- Onderstel
- Exterieur
- Interieur
- Climate Control
- Stoelen
- Smart Cockpit
- Assisted and Intelligent Driving Hardware
- Assisted and Intelligent Driving Features
- Veiligheid
- Standaard accessoires

NIO eL7

Prijzen & Opties

NIO eL7

Voertuig & Batterij

Voertuig (inclusief batterij)

Merk	Model	Aandrijving	Vermogen (kW/pk)	Batterij- type	WLTP- range (km)	CO2- uitstoot	Netto- catalogusprijs*	BTW	BPM	Fiscale waarde	Consumenten- adviesprijs**
NIO	EL7	AWD	480/653	Standard Range	391	0	€ 72.290,08	€ 15.180,92	€ 0	€ 87.471	€ 88.900
NIO	EL7	AWD	480/653	Long Range	509	0	€ 79.728,10	€ 16.742,90	€ 0	€ 96.471	€ 97.900

Voertuig met BaaS (in combinatie met Battery-as-a-Service)

Merk	Model	Aandrijving	Vermogen (kW/pk)	Batterij- type	WLTP- range (km)	CO2- uitstoot	Netto- catalogusprijs*	BTW	BPM	Fiscale waarde	Consumenten- adviesprijs**
NIO	EL7	AWD	480/653	Standard Range	391	0	€ 62.372,73	€ 13.098,27	€ 0	€ 87.471	€ 76.900
NIO	EL7	AWD	480/653	Long Range	509	0	€ 62.372,73	€ 13.098,27	€ 0	€ 96.471	€ 76.900

BaaS-abonnement per maand (Battery-as-a-Service)

Batterijtype	Netto	BTW	Totaal	Bruto prijs batterij
Standard Range	€ 140	€ 29	€ 169	€ 12.000
Long Range	€ 239	€ 50	€ 289	€ 21.000

* Netto-catalogusprijs en consumentenadviesprijs van voertuig met BaaS (Battery-as-a-Service) zijn exclusief batterij.

** Consumentenadviesprijs bevat rijkslaarmaakkosten t.w.v. € 1.429,00 incl. btw. De rijkslaarmaakkosten bevatten o.a. volle batterij, transportkosten, reinigen binnen- en buitenkant, logistieke afhandeling, twee kentekenplaten en een afleverinspectie. Recyclingbijdrage auto (€ 20,00 incl. btw), recyclingbijdrage accu (€65,00 incl. btw), kentekenregistratie (€ 47,65 btw-vrij) en tenaamstelling (€ 12,50 btw-vrij).

NIO eL7

Velgen & Remkluuwen



20" Serenity Matte lichtmetalen velgen

Met 255/50 R20 Low Rolling Resistance banden

Standaard



21" Regatta lichtmetalen velgen

Met 265/45 R21 Self-Sealing & Noise-Reducing banden

€ 2.600



Airglow Orange remkluuwen

Gekleurde Brembo-remkluuwen voor & achter

Standaard

NIO eL7

Exterieurkleuren



Star Gray

€ 0




Cloud White

€ 0



Deep Black

€ 0



Southern Star

€ 1.680



Airspace Blue


€ 1.680




Arctic Green

€ 1.680

Interieurkleuren



Pamir Brown



Onyx Black



Edelweiss White

Interieur

Pamir Brown

Hemelbekleding

Black

Smart Key

White

€ 0

Onyx Black

Black

Black

€ 0

Edelweiss White

Edelweiss White

White

€ 0

NIO eL7

Verdere opties



NOMI

NOMI Mate

Standaard



Verwarmde ruitenwissers

Verwarmde zone rondom de ruitenwissers voor het sneller ontdooien van ijs

€ 150



Trailerpakket

Elektrisch uitklapbare trekhaak (max. trekgewicht 2.000 kg, kogeldruk 100 kg) incl. Trailer Mode voor aangepaste voertuiginstellingen

Standaard

NIO eL7

Subscription-varianten

NIO eL7

Beschikbare varianten

Batterij-type	Velgen	Airglow Orange remklauwen	NOMI Mate	Trailer-pakket
Standard Range	20" Serenity Matte lichtmetalen velgen	Inbegrepen	Inbegrepen	Inbegrepen
Long Range	21" Regatta lichtmetalen velgen	Inbegrepen	Inbegrepen	Inbegrepen

Beschikbare kleurencombinaties

Exterieur	Interieur	Hemelbekleding	Smart Key
Deep Black	Onyx Black	Black	Black
Star Gray	Pamir Brown	Black	White
Cloud White	Onyx Black	Black	Black
Airspace Blue	Pamir Brown	Black	White
Southern Star	Edelweiss White	Edelweiss White	White

NIO eL7

Standaarduitrusting

NIO eL7

Afmetingen & Gewichten



2.346 kg

Ledig gewicht met Standard Range Batterij

2.366 kg

Ledig gewicht met Long Range Batterij

0,26

Weerstandscoefficiënt (Cd)

570 l

Inhoud bagageruimte

658 l

Inhoud inclusief ondervloer

1.545 l

Inhoud met neergeklapte achterbank

Additionele specificaties:

Zitplaatsen	5	Spoorbreedte voor	1.668 mm
Lengte	4.912 mm	Spoorbreedte achter	1.672 mm
Breedte	2.271 mm	Draaicirkel	12,5 m
Breedte (spiegels ingeklapt)	2.104 mm	Bodemvrijheid (beladen)	158 mm
Hoogte	1.720 mm	Toegestane max. massa	2.890 kg
Wielbasis	2.960 mm	Max. laadvermogen	544 kg (Standard) 524 kg (Long)

NIO eL7

Prestaties



3,9 s
0-100 km/u

200 km/u
Topsnelheid

Intelligent E-AWD

5 Basis rijmodi

- Eco
- Comfort
- Sport
- Sport+
- Custom

5 Scenario-gebaseerde rijmodi ¹

- Snow
- Sand
- Wet
- Easy Pass
- Trailer

De bovenstaande informatie is alleen voor informatieve doeleinden. Alle gegevens zijn gehomologeerde gegevens of technische schattingen die kunnen verschillen als gevolg van verschillende testfactoren zoals locatie, weer- en wegomstandigheden, batterijniveau, lading, banden etc.

NIO eL7

E-Aandrijflijn

480 kW / 653 pk
Max. vermogen

850 Nm
Max. koppel

180 kW / 245 pk
Electric Drive System (EDS) voor

300 kW / 408 pk
Electric Drive System (EDS) achter

0
CO₂-uitstoot*

Standard Range Batterij

WLTP-actieradius	Tot 391 km
Max. laadvermogen	11 kW AC / 140 kW DC
Snellaadtijd	10 – 80%: 30 min

Long Range Batterij

WLTP-actieradius	Tot 509 km
Max. laadvermogen	11 kW AC / 125 of 180 kW DC**
Snellaadtijd	10 – 80%: 40 of 30 min**

* Alle CO₂-emissies en overige waarden gerelateerd aan het verbruik zijn opgegeven volgens de wettelijk geldende procedures. Alle waarden zijn op basis van de World-wide harmonized Light vehicles Test Procedure (WLTP). Het praktijkverbruik wijkt af van de WLTP-opgaves door unieke situaties als rijgedrag, weersomstandigheden of belasting van het voertuig. Voor meer informatie omtrent tips omtrent efficiënt rijden kijk op www.hetnieuwerijden.nl.

** De Long Range Batterij is verkrijgbaar in twee versies met een verschillend max. laadvermogen. Na een swap in een Power Swap Station, kan het max. laadvermogen van de ontvangen Long Range Batterij variëren tussen 125 kW en 180 kW.

NIO eL7

Laadkabels

Portable Charger

Standaard	IEC Type 2
Ingangsspanning	230 V AC 1 fase
Max. stroomsterkte	10 A
Max. laadvermogen	2,3 kW
Lengte	6,5 m
Gewicht	2,5 kg

-
- Laden met 10A (2,3 kW) aan een standaard stopcontact
 - LED-lampjes die de laadstatus aangeven
 - 6,5 m kabel voor flexibele toepassing
 - Met overspannings-, aardlek- en oververhittingsbeveiliging

Mode 3 Public Charging Cable

Standaard	IEC Type 2
Ingangsspanning	400 V 3 fase
Max. stroomsterkte	32 A
Max. laadvermogen	22 kW
Lengte	7 m
Gewicht	5,2 kg

-
- Geleverd met klittenband voor eenvoudig bundelen en dragen
 - Gemaakt van hittebestendige en brandvertragende materialen

NIO eL7

Onderstel



- Hybride carrosserie en onderstel van aluminium, koolstofvezel en hoogwaardig staal
- Integraal gegoten volledig aluminium achtervloer
- 50:50 voor- en achterasbelastingsverhouding
- Double Wishbone voorwielophanging
- H-Arm Multi-Link achterwielophanging
- Intelligente luchtvering
- Continuous Damping Control (CDC)
- Electric Power Steering (EPS)
- Brembo-remklauwen voor met 4 zuigers
- Regeneratief remsysteem
- Electric Parking Brake (EPB) & Autohold

NIO eL7

Exterieur



- Dual-Beam LED-koplampen
- Auto-leveling koplampen
- Automatisch grootlicht
- Double-Dash LED-dagrijverlichting
- Adaptieve LED-mistlampen
- Dynamische LED-richtingaanwijzers
- Intelligente LED-wielkastverlichting
- AirWing-achterlicht
- Moon exterieurpakket
- Elektrisch panoramaschuifdak met zonnescherm
- Auto-Flush-deurgrepen
- Soft-Close-deuren
- Elektrische achterklep met voetsensor
- Smart Charge-aansluiting
- Gelamineerd akoestisch glas
- Privacyglas achter
- UV- en warmtewerend glas
- Verwarmde buitenspiegels
- Elektrisch inklapbare buitenspiegels
- Automatisch dimmende buitenspiegels
- Surround Lights buitenspiegels
- Automatische ruitenwissers met regensensor
- Ruitenwissers with sproeikop
- Dakrails (max. daklast 75 kg)

NIO eL7

Interieur



- Duurzaam Rattan & MicroCloud interieurelementen
- Microfiber hemelbekleding
- Microfiber stuurwiel
- Driespaaks sportstuurwiel
- Elektrisch verstelbaar stuurwiel
- Stuurwielverwarming
- LED-leeslampjes
- Ambient Lighting in 256 kleuren
- Extra grote verlichte make-upspiegels
- Automatisch dimmende binnenspiegel
- Verlichte instaplijsten
- Metalen pedaalleg
- Metalen dorpelplaat achterklep
- Open opbergruimte middenconsole
- Smart Safe Box
- Hoedenplank
- Kofferbakopslag ondervloer
- Ladingsverankeringen
- 1x USB Type-A-aansluiting (2,5 W)
- 3x USB Type-C-aansluiting (60 W)
- 2x 12V-aansluiting (voor en achter)
- 2x ISOFIX

NIO eL7

Climate Control



- Automatic Climate Control met 3 zones
- Warmtepompsysteem
- Slimme onzichtbare ventilatieroosters
- Slim geursysteem
- Slim luchtkwaliteitssysteem
- Ionisator
- PM2,5-sensor
- Antimicrobieel en anti-allergeen actieve koolstof luchtfilter

NIO eL7

Stoelen



- Stoelbekleding van duurzaam Haptex® lederlook
- 14-voudig elektrisch verstelbare bestuurdersstoel met 4-voudige lendensteunverstelling en in lengte verstelbaar zitvlak
- 14-voudig elektrisch verstelbare lounge-passagiersstoel met 4-voudige lendensteunverstelling, beenondersteuning en voetensteun
- 4-voudig verstelbare Aviation-hoofdsteunen voor
- Voorstoelen met geheugenfunctie en Easy Entry
- Stoelverwarming voor
- Stoelventilatie voor
- Massagefunctie voor
- Luchtkussensysteem voor
- 2-voudig verstelbare hoofdsteunen achter
- Stoelverwarming achter
- Luchtkussensysteem achter
- Elektrisch verstelbare rugleuning achter
- Multifunctionele middenarmsteun achter
- In delen neerklapbare achterbank (60:40)

NIO eL7

Smart Cockpit



- 10.2" HDR digitaal instrumentenpaneel
- 12.8" AMOLED centrale display
- 6.6" HDR touch display achter
- 7.1.4 Immersive Sound System (23 Speakers, 1.000 W, Dolby Atmos)
- Enhanced Head-Up Display
- Slimme cabinecamera
- Draadloze oplader (Qi, max. 40 W)
- 4K Dash Cam
- Remote Connectivity Control
- Smart Car Finder
- 4G-netwerk
- DAB/Online DAB
- Wi-Fi 6.0
- Bluetooth
- Ultra-Wideband (UWB)
- Digital Key
- 1x UWB Smart Key
- 1x NFC Key Card
- Firmware Over-the-Air (FOTA)
- NIO Auto Maps (navigatie, actuele verkeersinformatie, zoekfunctie)
- 3rd-Party Service-integratie
- User Account System
- NIO Call & eCall

NIO eL7

Assisted and Intelligent Driving Hardware



NIO Adam
Super Computing

NIO Aquila
Super Sensing

33 sensoren met hoge prestaties:

- 1x Hoge-resolutie-LiDAR met extra groot bereik
- 7x 8 MP hoge-resolutiecamera
- 4x 3 MP camera met hoge gevoeligheid
- 1x Advanced Driver Monitoring System (ADMS)
- 5x Millimeter-Wave-radar
- 12x Ultrasonische sensor
- Hands-Off Detection (HOD)
- 2x High-Precision Positioning Unit

NIO eL7

Assisted and Intelligent Driving Features



- Forward Collision Warning (FCW)
- Autonomous Emergency Braking (AEB)
- Blind Spot Detection (BSD)
- Lane Change Alert (LCA)
- Door Open Warning (DOW)
- Rear Cross Traffic Alert with Brake (RCTA-B)
- Front Cross Traffic Alert (FCTA)
- Lane Departure Warning (LDW)
- Lane Keeping Assist (LKA)
- Emergency Active Stop (EAS)
- Emergency Lane Keeping (ELK)
- Advanced Driver Monitoring System (ADMS)
- Intelligent Adaptive Cruise Control (i-ACC)
- Traffic Sign Recognition (TSR)
- Dynamic Environment Simulation & Display (ESD)
- Shiftless Automatic Parking Assist with Fusion (S-APA with Fusion)
- Power Swap with Assisted Parking (PSAP)
- Side Distance Indication System (SDIS)
- Lane Centering Control (LCC)
- Active Lane Change (ALC)

NIO eL7

Veiligheid



- 2x Airbags voor
- 2x Zij-airbags voor
- 2x Gordijnairbags
- Airbag middenvoor
- 360° HD Surround View System
- Parkeersensoren voor en achter
- Guardian Mode
- Doorzichtig chassis
- Direct Tire Pressure Monitoring System (dTPMS)
- Elektrisch kinderslot
- Child Presence Detection (CPD)
- Alarmsysteem
- Voetgangerswaarschuwingssysteem
- Anti-Lock Braking System (ABS)
- Electronic Brake-force Distribution (EBD)
- Traction Control System (TCS)
- Electronic Stability Control (ESC)
- Emergency Brake Assist (EBA)
- Hill Start Assist (HSA)
- Dynamic Wheel Torque Control (DWT)
- Cornering Brake Control (CBC)
- Hill Descent Control (HDC)
- Roll Stability Control (RSC)

NIO eL7

Standaard accessoires



- Vloermatten
- Geurensset (3 flacons)
- Bandenreparatieset ¹
- EHBO-kit
- Gevarendriehoek
- Veiligheidsvest
- Sleepoog

1. Bandenreparatieset bevat bandenafdichtmiddel (alleen voor 20-inch banden) en luchtpomp.

NIO eL7

Garantie

Basis

60 maanden / 150.000 km

Batterij

96 maanden / 160.000 km

Anti-corrosie

120 maanden / onbeperkt km

Uitgebreid NIO-aanbod

Wieluitlijning

Na de eerste 6 maanden / 5.000 km

Slijtage van onderdelen

Type 1*

6 maanden /
10.000 km

Type 2**

12 maanden /
20.000 km

Type 3***

36 maanden /
onbeperkt km

* Filter airconditioning, ruitenwisser

** Remblok, sleutelbatterij, zekering en relais (zonder ontsteking)

*** 12V-hulpaccu



NIO eL7

Bandenlabels


Productinformatieblad



Gedelegeerde Verordening (EU) 2020/740

Naam of handelsmerk leverancier		PIRELLI	
Handelsbenaming		Scorpion	
Bandentypeaanduiding	Bandenklasse	40885	C1
Bandenmaataanduiding		255/50R20	
Snelheidscategoriesymbool		V 240 km/h	
Belastingsindex		109	
Belastingsversie		XL	
Brandstofefficiëntieklasse		A	
Klasse grip op nat wegdek		B	
Rotgeluidemissieklasse	Rotgeluidemissiewaarde	A	70 dB
Band voor gebruik bij zware sneeuwval		No	
Band voor gebruik bij zware ijscondities		No	
Datum aanvraag productie (Week / Jaar)		49/21	
Datum beëindiging productie (Week / Jaar)		-	
Adres van de leverancier		Pirelli Contact Center, Viale Piero e Alberto Pirelli 25, Milan, IT	
Aanvullende informatie			


 **ENERG** 

PIRELLI 40885
255/50R20 109 V XL C1



A B C D E A B C D E B

 70 dB ABC

2020/740


NIO eL7


Bandenlabels

Productinformatieblad

Gedelegeerde Verordening (EU) 2020/740

Naam of handelsmerk leverancier		PIRELLI	
Handelsbenaming		PZERO	
Bandentypeaanduiding	Bandenklasse	42534	C1
Bandenmaataanduiding		265/45R21	
Snelheidscategoriesymbool		Y 300 km/h	
Belastingsindex		108	
Belastingsversie		XL	
Brandstofefficiëntieklasse		B	
Klasse grip op nat wegdek		A	
Rotgeluidemissieklasse	Rotgeluidemissiewaarde	A	70 dB
Band voor gebruik bij zware sneeuwval		No	
Band voor gebruik bij zware ijscondities		No	
Datum aanvang productie (Week / Jaar)		21/22	
Datum beëindiging productie (Week / Jaar)		-	
Adres van leverancier		Pirelli Contact Center, Viale Piero e Alberto Pirelli 25, Milan, IT	
Aanvullende informatie			





nio.com/el7

Disclaimer: Alle informatie in deze prijslijst is gebaseerd op de specificaties van de auto's zoals die van toepassing waren bij publiceren van deze prijslijst. De uitrusting of technische specificaties kunnen per markt verschillen. Impressies in deze prijslijst zijn onderdeel van wereldwijd materiaal en kunnen voorzien zijn van opties die niet leverbaar zijn in Nederland. Raadpleeg altijd onze klantenservice of bezoek ons als je vragen hebt over de specificaties. Wijzigingen, druk- en zetfouten voorbehouden.

De beschikbaarheid van voertuigmodellen, opties, specificaties en kleuren kan per markt verschillen. NIO behoudt zich het recht voor om zonder voorafgaande kennisgeving wijzigingen aan te brengen in voertuigvisualisaties. Er kunnen voertuigen worden getoond met optionele uitrusting die niet in alle markten verkrijgbaar is. Afbeeldingen of video's zijn uitsluitend bedoeld ter illustratie.

Neem voor meer informatie contact op met je NIO Specialist, stuur een e-mail naar contact.nl@nio.io of bel 00 8000 999 6699.

NIO eL7



PRICE LIST

THE NETHERLANDS

NIO eL7

Overview

Sales Prices & Options

- Vehicle & Battery
 - Wheels & Calipers
 - Exterior & Interior Colors
 - Further Options
-

Subscription Variants

- Available Variants
 - Available Color Combinations
-

Standard Features

- Dimensions & Weights
- Performance
- E-Powertrain
- Charging Cables
- Chassis System
- Exterior Features
- Interior Features
- Climate Control
- Seating Features
- Smart Cockpit
- Assisted and Intelligent Driving Hardware
- Assisted and Intelligent Driving Features
- Safety Features
- Standard Accessories

NIO eL7

Sales Prices & Options

NIO eL7

Vehicle & Battery

Vehicle

(including battery)

Brand	Model	Drive	Power (kW/pk)	Battery Type	WLTP Range (km)	CO2 Emission	Net List Price*	VAT	BPM	Fiscal Value	Consumer Price**
NIO	EL7	AWD	480/653	Standard Range	391	0	€ 72,290.08	€ 15,180.92	€ 0	€ 87,471	€ 88,900
NIO	EL7	AWD	480/653	Long Range	509	0	€ 79,728.10	€ 16,742.90	€ 0	€ 96,471	€ 97,900

Vehicle with BaaS

(in combination with Battery-as-a-Service)

Brand	Model	Drive	Power (kW/pk)	Battery Type	WLTP Range (km)	CO2 Emission	Net List Price*	VAT	BPM	Fiscal Value	Consumer Price**
NIO	EL7	AWD	480/653	Standard Range	391	0	€ 62,372.73	€ 13,098.27	€ 0	€ 87,471	€ 76,900
NIO	EL7	AWD	480/653	Long Range	509	0	€ 62,372.73	€ 13,098.27	€ 0	€ 96,471	€ 76,900

BaaS subscription per month (Battery-as-a-Service)

Battery Type	Net	VAT	Total	Gross Price Battery
Standard Range	€ 140	€ 29	€ 169	€ 12,000
Long Range	€ 239	€ 50	€ 289	€ 21,000

* Net list price and consumer price of vehicle with BaaS (Battery-as-a-Service) do not include battery price.

** Consumer price includes delivery costs of € 1,429.00 incl. VAT. The delivery costs include a full battery, transport costs, interior and exterior cleaning, logistic handling, two license plates and a delivery inspection. Recycling fee car (€ 20.00 incl. VAT), recycling fee battery (€ 65.00 incl. VAT), license plate fee (€ 47.65 VAT-free) and name registration fee (€ 12.50 VAT-free).

NIO eL7

Wheels & Calipers



20" Serenity Matte Alloy Wheels

With 255/50 R20 Low Rolling Resistance Tires

Standard



21" Regatta Alloy Wheels

With 265/45 R21 Self-Sealing and Noise-Reducing Tires

€ 2,600



Airglow Orange Calipers

Colored Front and Rear Brake Calipers

Standard

NIO eL7

Exterior Colors



Star Gray

€ 0



Cloud White

€ 0



Deep Black

€ 0




Southern Star

€ 1,680



Airspace Blue


€ 1,680




Arctic Green

€ 1,680

Interior Colors



Pamir Brown



Onyx Black



Edelweiss White

Interior	Headliner	Key Fob	
Pamir Brown	Black	White	€ 0
Onyx Black	Black	Black	€ 0
Edelweiss White	Edelweiss White	White	€ 0

NIO eL7

Further Options



NOMI

NOMI Mate

Standard



Heated Wiper Bay

Fast Ice Thawing in Windshield Wiper Docking Area

€ 150



Trailer Package

Electrically Deployable Tow Bar (2,000 kg Towing Capacity, 100 kg Towing Hook Load Capacity) incl. Trailer Mode

Standard

NIO eL7

Subscription Variants

NIO eL7

Available Variants

Battery Type	Wheels	Airglow Orange Calipers	NOMI Mate	Trailer Package
Standard Range	20" Serenity Matte Alloy Wheels	Included	Included	Included
Long Range	21" Regatta Alloy Wheels	Included	Included	Included

Available Color Combinations

Exterior	Interior	Headliner	Key Fob
Deep Black	Onyx Black	Black	Black
Star Gray	Pamir Brown	Black	White
Cloud White	Onyx Black	Black	Black
Airspace Blue	Pamir Brown	Black	White
Southern Star	Edelweiss White	Edelweiss White	White

NIO eL7

Standard Features

NIO eL7

Dimensions & Weights



2,346 kg

Curb Weight with Standard Range Battery

2,366 kg

Curb Weight with Long Range Battery

0.26

Drag Coefficient (Cd)

570 l

Cargo Volume

658 l

Volume including Underfloor Storage

1,545 l

Volume with Rear Seats Folded

Additional Specifications:

Seating	5	Front Track	1,668 mm
Length	4,912 mm	Rear Track	1,672 mm
Width	2,271 mm	Turning Radius	12.5 m
Width (Mirrors Folded)	2,104 mm	Ground Clearance (Laden)	158 mm
Height	1,720 mm	Gross Vehicle Weight	2,890 kg
Wheelbase	2,960 mm	Maximum Payload Capacity	544 kg (Standard) 524 kg (Long)

NIO eL7

Performance



3.9 s
0-100 km/h

200 km/h
Top Speed

Intelligent E-AWD

5 Basic Drive Modes

- Eco
- Comfort
- Sport
- Sport+
- Custom

5 Scenario-Based Drive Modes ¹

- Snow
- Sand
- Wet
- Easy Pass
- Trailer

The above information is for informational purposes only. All data is homologated data that may differ due to different test factors such as location, weather, road conditions, battery level, load, tires etc.

NIO eL7

E-Powertrain

480 kW / 653 hp
Maximum Power

850 Nm
Maximum Torque

180 kW / 245 hp
Electric Drive System (EDS) Front

300 kW / 408 hp
Electric Drive System (EDS) Rear

0
CO₂-Emissions*

Standard Range Battery

WLTP Range	Up to 391 km
Maximum Charge Power	11 kW AC / 140 kW DC
Fast Charge Time	10 – 80%: 30 min

Long Range Battery

WLTP Range	Up to 509 km
Maximum Charge Power	11 kW AC / 125 or 180 kW DC**
Fast Charge Time	10 – 80%: 40 or 30 min**

* All CO₂ emissions and other values related to consumption are specified according to the legally applicable procedures. All values are based on the Worldwide harmonized Light vehicles Test Procedure (WLTP). The actual consumption differs from the WLTP specifications due to unique situations such as driving behaviour, weather conditions or vehicle load. For more information about tips on efficient driving, visit www.hetnieuwerijden.nl.

** The Long Range Battery is available in two versions with differing peak charging potential. When a swap occurs in the BaaS network the Long Range Battery received may vary between 125 kW and 180 kW.

NIO eL7

Charging Cables

Portable Charger

Standard	IEC Type 2
Input Voltage	230 V AC single-phase
Nominal Current	10 A
Nominal Power	2.3 kW
Cable Length	6.5 m
Weight	2.5 kg

-
- Charge with 10A (2.3 kW) at standard household sockets
 - LED lights indicating the charging status
 - 6.5 m cable for flexible application
 - With surge, grounding and overheating protection

Mode 3 Public Charging Cable

Standard	IEC Type 2
Input Voltage	400 V 3-phase
Nominal Current	32 A
Nominal Power	22 kW
Cable Length	7 m
Weight	5.2 kg

-
- Comes with velcro for bundling and carrying
 - Made of heat-resistant and flame-retardant materials

NIO eL7

Chassis System



- Hybrid Body & Chassis Architecture of Aluminum Alloy, Carbon Fiber and High-Strength Steel
- Integral Casting All-Aluminum Rear Floor
- 50:50 Front & Rear Axle Load Ratio
- Double Wishbone Front Suspension
- H-Arm Multi-Link Rear Suspension
- Smart Air Suspension
- Continuous Damping Control (CDC)
- Electric Power Steering (EPS)
- Front Brembo 4-Piston Brake Calipers
- Regenerative Braking System
- Electric Parking Brake (EPB) & Autohold

NIO eL7

Exterior Features



- Dual-Beam LED Headlights
- Auto-Leveling Headlights
- Auto High Beams
- Double-Dash Daytime Running Lights
- Adaptive Cornering LED Fog Lights
- LED Sweeping Turn Signals
- Smart LED Wheel Arch Lights
- AirWing Taillight
- Moon Theme Exterior Pack
- Power Panoramic Sunroof & Sunshade
- Automatic Flush Door Handles
- Soft-Close Doors
- Kick-Activated Power Tailgate
- Smart Charge Port Cover
- Full Laminated Acoustic Glass
- Rear Privacy Glass
- Anti-UV & Heat-Insulating Glass
- Heated Side Mirrors
- Auto-Folding Side Mirrors
- Auto-Dimming Side Mirrors
- Side Mirror Surround Lights
- Automatic Rain-Sensing Windshield Wipers
- Windshield Wipers with Spray Nozzle
- Roof Rail (max. Capacity 75kg)

NIO eL7

Interior Features



- Sustainable Rattan & MicroCloud Decor
- Microfiber Headliner
- Microfiber Leather Steering Wheel
- Three-Spoke Sport Steering Wheel
- Electric Tilt & Telescopic Steering Wheel
- Heated Steering Wheel
- LED Reading Lights
- 256-Color Ambient Lighting
- Extra-Large Illuminated Vanity Mirrors
- Auto-Dimming Rear View Mirror
- Illuminated Door Sill Inlays
- Metal Pedal Inlays
- Metal Tailgate Sill Plate
- Center Console Open Storage
- Smart Safe Box
- Trunk Cover
- Cargo Underfloor Storage
- Cargo Tie-Downs
- 1x USB Type-A Port (2.5 W)
- 3x USB Type-C Port (60 W)
- 2x 12V Power Socket (Front & Back)
- 2x ISOFIX

NIO eL7

Climate Control



- 3-Zone Automatic Climate Control
- Heat Pump System
- Smart Invisible Air Vents
- Smart Fragrance System
- Smart Air Quality System
- Ionizer
- PM2.5 Sensor
- Antimicrobial & Anti-Allergen Activated Carbon Air Filter

NIO eL7

Seating Features



- Haptex Perforated Artificial Leather Seats
- Driver 14-Way Power Seat with 4-Way Lumbar Support and Power Cushion Extension)
- Passenger 14-Way Power Lounge Seat with 4-Way Lumbar Support, Leg Support & Footrest
- Front 4-Way Aviation Headrests
- Front Seat Memory & Easy Entry
- Front Seat Heating
- Front Seat Ventilation
- Front Seat Massage
- Front Seat Air Cushion System
- Rear 2-Way Headrests
- Rear Seat Heating
- Rear Seat Air Cushion System
- Rear Seat Electric Backrest Angle Adjustment
- Rear Multifunctional Center Armrest
- Split-Folding Rear Seats (60:40)

NIO eL7

Smart Cockpit



- 10.2" HDR Digital Instrument Cluster
- 12.8" AMOLED Center Display
- 6.6" Rear HDR Touch Display
- 7.1.4 Immersive Sound System (23 Speakers, 1,000 W, Dolby Atmos)
- Enhanced Head-Up Display
- Smart Cabin Camera
- Wireless Charging Pad (Qi, max. 40 W)
- 4K Dash Camera
- Remote Connectivity Control
- Smart Car Finder
- 4G Network
- DAB/Online DAB
- Wi-Fi 6.0
- Bluetooth
- Ultra-Wideband (UWB)
- Digital Key
- 1x UWB-Based Smart Key Fob
- 1x NFC Key Card
- Firmware Over-the-Air (FOTA)
- NIO Auto Maps (Navigation, Real-Time Traffic Data, Poi Search)
- 3rd-Party Service Integration
- User Account System
- NIO Call & eCall

NIO eL7

Assisted and Intelligent Driving Hardware



NIO Adam
Super Computing

NIO Aquila
Super Sensing

33 High-Performance Sensing Units:

- 1x Ultralong-Range High-Resolution LiDAR
- 7x 8MP High-Resolution Camera
- 4x 3MP High-Sensitization Dedicated Camera
- 1x Advanced Driver Monitoring System
- 5x Millimeter-Wave Radar
- 12x Ultrasonic Sensor
- Hands-Off Detection (HOD)
- 2x High-Precision Positioning Unit

NIO eL7

Assisted and Intelligent Driving Features



- Forward Collision Warning (FCW)
- Autonomous Emergency Braking (AEB)
- Blind Spot Detection (BSD)
- Lane Change Alert (LCA)
- Door Open Warning (DOW)
- Rear Cross Traffic Alert with Brake (RCTA-B)
- Front Cross Traffic Alert (FCTA)
- Lane Departure Warning (LDW)
- Lane Keeping Assist (LKA)
- Emergency Active Stop (EAS)
- Emergency Lane Keeping (ELK)
- Advanced Driver Monitoring System (ADMS)
- Intelligent Adaptive Cruise Control (i-ACC)
- Traffic Sign Recognition (TSR)
- Dynamic Environment Simulation & Display (ESD)
- Shiftless Automatic Parking Assist with Fusion (S-APA with Fusion)
- Power Swap with Assisted Parking (PSAP)
- Side Distance Indication System (SDIS)
- Lane Centering Control (LCC)
- Active Lane Change (ALC)

NIO eL7

Safety Features



- 2x Front Airbags
- 2x Front Side Airbags
- 2x Side Curtain Airbags
- Front Center Airbag
- 360° HD Surround View System
- Front & Rear Parking Radars
- Guardian Mode
- Transparent Chassis
- Direct Tire Pressure Monitoring System (dTPMS)
- Power Child Locks
- Child Presence Detection (CPD)
- Anti-Theft Alarm System
- Pedestrian Warning System
- Anti-Lock Braking System (ABS)
- Electronic Brake-Force Distribution (EBD)
- Traction Control System (TCS)
- Electronic Stability Control (ESC)
- Emergency Brake Assist (EBA)
- Hill Start Assist (HSA)
- Dynamic Wheel Torque Control (DWT)
- Cornering Brake Control (CBC)
- Hill Descent Control (HDC)
- Roll Stability Control (RSC)

NIO eL7

Standard Accessories



- Carpet Interior Mats
- Fragrance Kit (3 Bottles)
- Tire Repair Toolkit ¹
- First Aid Kit
- Warning Triangle
- Safety Vest
- Tow Hook

¹. Tire repair tool kit includes tire sealant (only for 20" tires) and air pump.

NIO eL7

Warranty

Basic

60 Months / 150,000 km

Battery

96 Months / 160,000 km

Anti-Perforation (Corrosion)

120 Months / unlimited km

Extended NIO Offers

Wheel Alignment

After first 6 Months / 5,000 km

Wear Parts

Type 1*

6 Months /
10,000 km

Type 2**

12 Months /
20,000 km

Type 3***

36 Months /
unlimited km

* Air condition filter, wiper blade

** Brake pad, key battery, fuse and relay (without ignition)

*** 12V auxiliary battery


NIO eL7

Tire Labels

Product Information Sheet

Delegated Regulation (EU) 2020/740

Supplier name or trademark		PIRELLI	
Commercial name or trade designation		Scorpion	
Tire type identifier	Tire class	40885	C1
Tire size designation		255/50R20	
Speed category symbol		V 240 km/h	
Load-capacity index		109	
Load version		XL	
Fuel efficiency class		A	
Wet grip class		B	
Ext. rolling noise class	Ext. rolling noise value	A	70 dB
Tire for use in severe snow conditions		No	
Tire for use in severe ice conditions		No	
Date of start of production (Week / Year)		49/21	
Date of end of production (Week / Year)		-	
Supplier's address		Pirelli Contact Center, Viale Piero e Alberto Pirelli 25, Milan, IT	
Additional information			




NIO eL7

Tire Labels

Product Information Sheet

Delegated Regulation (EU) 2020/740

Supplier name or trademark		PIRELLI	
Commercial name or trade designation		PZERO	
Tire type identifier	Tire class	42534	C1
Tire size designation		265/45R21	
Speed category symbol		Y 300 km/h	
Load-capacity index		108	
Load version		XL	
Fuel efficiency class		B	
Wet grip class		A	
Ext. rolling noise class	Ext. rolling noise value	A	70 dB
Tire for use in severe snow conditions		No	
Tire for use in severe ice conditions		No	
Date of start of production (Week / Year)		21/22	
Date of end of production (Week / Year)		-	
Supplier's address		Pirelli Contact Center, Viale Piero e Alberto Pirelli 25, Milan, IT	
Additional information			



NIO eL7



nio.com/el7

Disclaimer: As NIO will constantly retrofit its products and services, the above information may change and vary accordingly. We will spare no efforts in ensuring information completeness and accuracy. However, due to changing laws and regulations, differences in individual's understanding of relevant information, and untimeliness in information update, actual products and services offered may vary from the information contained in this document. Errors excepted.

The Availability of vehicle models, options, specifications and colors may vary by market. NIO reserves the right to make changes to vehicle visualizations without notice. Vehicles may be shown with optional equipment that is not available in all markets. Images or videos are for illustrative purposes only.

For more information, please contact your NIO Fellow or send e-mail to contact.nl@nio.io or call 00 8000 999 6699.