

TOURING
NIOeT5



PRIJSLIJST

NEDERLAND

01/2025

Please find the
English Version
below

TOURING
NIOeT5

Overzicht

Prijzen & Opties

- Voertuig & Batterij
 - Velgen & Remklauwen
 - Exterieur- & Interieurkleuren
 - Comfortpakket
 - NOMI
 - Intelligent dimbaar glazen dak
 - Trailerpakket
-

Subscription-varianten

- Beschikbare varianten
 - Beschikbare kleurencombinaties
-

Standaarduitrusting

- Afmetingen & Gewichten
- Prestaties
- E-Aandrijflijn
- Laadkabels
- Onderstel
- Exterieur
- Interieur
- Climate Control
- Stoelen
- Smart Cockpit
- Assisted and Intelligent Driving Hardware
- Assisted and Intelligent Driving Features
- Veiligheid
- Standaard accessoires

TOURING
NIOeT5

Prijzen & Opties

TOURING
NIO eT5

Voertuig & Batterij

Voertuig (inclusief batterij)

Merk	Model	Aandrijving	Vermogen (kW/pk)	Batterij- type	WLTP- range (km)	CO2- uitstoot	Netto- catalogusprijs*	BTW	BPM	Fiscale waarde	Consumenten- adviesprijs**
NIO	ET5 Touring	AWD	360/490	Standard Range	435	0	€ 51.077,69	€ 10.726,31	€ 667	€ 62.471	€ 63.900
NIO	ET5 Touring	AWD	360/490	Long Range	560	0	€ 58.515,70	€ 12.288,30	€ 667	€ 71.471	€ 72.900

Voertuig met BaaS (in combinatie met Battery-as-a-Service)

Merk	Model	Aandrijving	Vermogen (kW/pk)	Batterij- type	WLTP- range (km)	CO2- uitstoot	Netto- catalogusprijs*	BTW	BPM	Fiscale waarde	Consumenten- adviesprijs**
NIO	ET5 Touring	AWD	360/490	Standard Range	435	0	€ 41.160,33	€ 8.643,67	€ 667	€ 62.471	€ 51.900
NIO	ET5 Touring	AWD	360/490	Long Range	560	0	€ 41.160,33	€ 8.643,67	€ 667	€ 71.471	€ 51.900

BaaS-abonnement per maand (Battery-as-a-Service)

Batterijtype	Netto	BTW	Totaal	Bruto prijs batterij
Standard Range	€ 140	€ 29	€ 169	€ 12.000
Long Range	€ 239	€ 50	€ 289	€ 21.000

* Netto-catalogusprijs en consumentenadviesprijs van voertuig met BaaS (Battery-as-a-Service) zijn exclusief batterij.

** Consumentenadviesprijs bevat rijkslaarreaakkosten t.w.v. € 1.429,00 incl. btw. De rijkslaarreaakkosten bevatten o.a. volle batterij, transportkosten, reinigen binnen- en buitenkant, logistieke afhandeling, twee kentekenplaten en een afleverinspectie. Recyclingbijdrage auto (€ 20,00 incl. btw), recyclingbijdrage batterij (€65,00 incl. btw), kentekenregistratie (€ 50,00 btw-vrij) en tenaamstelling (€ 13,10 btw-vrij).

TOURING
NIO eT5

Velgen & Remklauwen



19" Splendor lichtmetalen velgen

Met 245/45 R19 Low Rolling Resistance banden

Standaard



20" Gladiator lichtmetalen velgen

Met 245/40 R20 Noise-Reducing & Self-Sealing Performance banden

€ 1.500

Kleur remklauwen voor & achter



Black

Standaard
met 19" velgen



Airglow Orange

Standaard
met 20" velgen

TOURING
NIO eT5

Exterieurkleuren



Deep Black

€ 0




Star Gray

€ 0



Cloud White

€ 0



Stratosphere Blue

€ 0



Arctic Green


€ 1.500

TOURING
NIO eT5

Interieurkleuren



Sand



Onyx Black



Cool Gray

Interieur

Hemelbekleding

Smart Key

Sand	Black	White	€ 0
Onyx Black	Black	Black	€ 0
Cool Gray	Black	White	€ 0

Comfortpakket

- Microfiber hemelbekleding
- Stuurwielverwarming
- 14-voudig elektrisch verstelbare voorstoelen met 4-voudige lendensteunverstelling en in lengte verstelbaar zitvlak
- Stoelventilatie voor
- Massagefunctie voor
- Stoelverwarming achter
- Slim geursysteem
- Ionisator

€ 2.000

TOURING
NIO eT5

NOMI



NOMI Halo

Standaard



NOMI Mate

€ 750



Intelligent dimbaar glazen dak

Geautomatiseerd schaduwsysteem voor glazen panoramadak

€ 1.500



Trailerpakket

Elektrisch uitklapbare trekhaak (max. trekgewicht 1.400 kg, kogeldruk 75 kg) incl. Trailer Mode voor aangepaste voertuiginstellingen

€ 1.250

TOURING
NIOeT5

Subscription-varianten

TOURING
NIO eT5

Beschikbare varianten

	Base	Premier
Batterijtype	Standard Range	Long Range
Velgen & Banden	19" Splendor lichtmetalen velgen met 245/45 R19 Low Rolling Resistance banden	20" Gladiator lichtmetalen velgen met 245/40 R20 Noise-Reducing & Self-Sealing Performance banden
Kleur remklauwen	Black	Airglow Orange
Hemelbekleding	Clean+ duurzame stof	Microfiber
Comfortpakket	Niet inbegrepen	Inbegrepen
NOMI	NOMI Halo	NOMI Mate
Intelligent dimbaar glazen dak	Niet inbegrepen	Inbegrepen
Verwarmde ruitenwissers	Inbegrepen	Inbegrepen
Trailerpakket	Niet inbegrepen	Inbegrepen

Beschikbare kleurencombinaties

Exterieur	Interieur	Hemelbekleding	Smart Key
Stratosphere Blue	Sand	Black	White
Cloud White	Onyx Black	Black	Black
Deep Black	Onyx Black	Black	Black
Star Gray	Vetiver	Black	White
Arctic Green	Cool Gray	Black	White
Sunlight Gold	Sand	Black	White

TOURING
NIOeT5

Standaarduitrusting

TOURING
NIO eT5

Afmetingen & Gewichten



2.165 kg

Ledig gewicht met Standard Range Batterij

2.185 kg

Ledig gewicht met Long Range Batterij

0,25

Weerstandscoefficiënt (Cd)

450 l

Inhoud bagageruimte

492 l

Inhoud inclusief ondervloer

1.300 l

Inhoud met neergeklapte achterbank

Additionele specificaties:

Zitplaatsen	5	Spoorbreedte voor	1.685 mm
Lengte	4.790 mm	Spoorbreedte achter	1.685 mm
Breedte	2.178 mm	Draaicirkel	11,8 m
Breedte (spiegels ingeklapt)	2.041 mm	Bodemvrijheid (beladen)	135 mm
Hoogte	1.499 mm	Toegstane max. massa	2.730 kg
Wielbasis	2.888 mm	Max. laadvermogen	565 kg (Standard) 545 kg (Long)

TOURING
NIO eT5

Prestaties



4,0 s
0-100 km/u

200 km/u
Topsnelheid

Intelligent E-AWD

5 Basis rijmodi

- Eco
- Comfort
- Sport
- Sport+
- Custom

4 Scenario-gebaseerde rijmodi

- Snow
- Sand
- Wet
- Trailer (met Trailerpakket)

TOURING
NIO eT5

E-Aandrijflijn

360 kW / 490 pk

Max. vermogen

700 Nm

Max. koppel

150 kW / 204 pk

Electric Drive System (EDS) voor

210 kW / 286 pk

Electric Drive System (EDS) achter

0

CO₂-uitstoot*

Standard Range Batterij

WLTP-actieradius

Tot 435 km

Max. laadvermogen

11 kW AC / 140 of 170 kW DC**

Snellaadtijd

10 – 80%: 30 of 27 min**

Long Range Batterij

WLTP-actieradius

Tot 560 km

Max. laadvermogen

11 kW AC / 125 of 180 kW DC**

Snellaadtijd

10 – 80%: 40 of 26 min**

* Energieverbruik (WLTP): 19,3 - 21,6 kWh/100km. Alle CO₂-emissies en overige waarden gerelateerd aan het verbruik zijn opgegeven volgens de wettelijk geldende procedures. Alle waarden zijn op basis van de Worldwide harmonized Light vehicles Test Procedure (WLTP). Het praktijkverbruik wijkt af van de WLTP-opgaves door unieke situaties als rijgedrag, weersomstandigheden of belasting van het voertuig. Voor meer informatie omtrent tips omtrent efficiënt rijden kijk op www.hetnieuwerijden.nl.

** De Standard Range en Long Range Batterijen zijn verkrijgbaar in twee versies met een verschillend max. laadvermogen. Na een swap in een Power Swap Station, kan het max. laadvermogen van de ontvangen Standard Range Batterij variëren tussen 140 kW en 170 kW en van de Long Range Batterij tussen 125 kW en 180 kW.

Laadkabels

Portable Charger

Standaard	IEC Type 2
Ingangsspanning	230 V AC 1 fase
Max. stroomsterkte	10 A
Max. laadvermogen	2,3 kW
Lengte	6,5 m
Gewicht	2,5 kg

-
- Laden met 10A (2,3 kW) aan een standaard stopcontact
 - LED-lampjes die de laadstatus aangeven
 - 6,5 m kabel voor flexibele toepassing
 - Met overspannings-, aardlek- en oververhittingsbeveiliging

Mode 3 Public Charging Cable

Standaard	IEC Type 2
Ingangsspanning	400 V 3 fase
Max. stroomsterkte	32 A
Max. laadvermogen	22 kW
Lengte	7 m
Gewicht	5,2 kg

-
- Geleverd met klittenband voor eenvoudig bundelen en dragen
 - Gemaakt van hittebestendige en brandvertragende materialen

TOURING
NIO eT5

Onderstel



- Carrosserie van hoogwaardig staal en aluminium
- Integraal gegoten volledig aluminium achtervloer
- 50:50 voor- en achterasbelastingsverhouding
- Five-Link voorwielophanging
- Multi-Link achterwielophanging
- Hydraulic Rebound Stop
- Electric Power Steering (EPS)
- Intelligent Smooth Stop (ISS)
- NIO-remklauwen voor met 4 zuigers
- Zwevende remklauwen met enkele zuiger achter
- Regeneratief remsysteem
- Electric Parking Brake (EPB) & Autohold

TOURING NIO eT5

Exterieur



- Moon exterieurthema
- Dual-Beam LED-koplampen
- Automatisch grootlicht
- Double-Dash LED-dagrijverlichting
- Adaptieve LED-mistlampen
- Dynamische LED-richtingaanwijzers
- illumiBlade-achterlicht
- Glazen panoramadak
- Auto-Flush-deurgrepen
- Soft-Close-deuren
- Frameless windows
- Elektrische achterklep met voetsensor
- Smart Charge-aansluiting (linksachter)
- Privacyglas achter
- Gelamineerd akoestisch glas (voorruit)
- UV- en warmtewerend glas
- Verwarmde ruitenwissers
- Verwarmde buitenspiegels
- Elektrisch inklapbare buitenspiegels
- Automatisch dimmende buitenspiegels
- Surround Lights buitenspiegels
- Automatische ruitenwissers met regensensor
- Ruitenwissers met sproeikop
- Dakrails (max. daklast 75 kg)

TOURING
NIO eT5

Interieur



- Clean+ Composite & Haptex® interieur
- Microfiber stuurwiel
- Elektrisch verstelbaar stuurwiel
- Driespaaks sportstuurwiel
- LED-leeslampjes
- Ambient Lighting in 256 kleuren
- Extra grote en verlichte make-upspiegels
- Automatisch dimmende binnenspiegel
- Metalen dorpelplaat achterklep
- Open opbergruimte middenconsole
- Smart Safe Box
- Kofferbakopslag ondervloer
- Hoedenplank
- Ladingsverankeringen
- Draagbare zaklamp
- 1x USB Type-A-aansluiting (2,5 W)
- 2x USB Type-C-aansluiting (60 W)
- 2x 12V-aansluiting (voor en achter)
- 2x ISOFIX

TOURING
NIOeT5

Climate Control



- Automatic Climate Control met 2 zones
- Warmtepompsysteem
- Slimme onzichtbare ventilatieroosters
- Slim luchtkwaliteitssysteem
- PM2,5-sensor
- Antimicrobieel en anti-allergeen actieve koolstof luchtfilter

TOURING
NIO eT5

Stoelen



- Stoelbekleding van duurzaam Haptex® lederlook
- 12-voudig elektrisch verstelbare voorstoelen met 4-voudige lendensteunverstelling
- Sportstoelen voor met geïntegreerde hoofdsteunen
- Luchtkussensysteem voor
- Voorstoelen met geheugenfunctie en Easy Entry
- Stoelverwarming voor
- 2-voudig verstelbare hoofdsteunen achter
- Multifunctionele middenarmsteun achter
- In delen neerklapbare achterbank (40:20:40)

TOURING NIO eT5

Smart Cockpit



- 10.2" HDR digitaal instrumentenpaneel
- 12.8" AMOLED centrale display
- 7.1.4 Immersive Sound System (23 speakers, 1.000 W, Dolby Atmos)
- Slimme cabinecamera
- Draadloze oplader (Qi, max. 40 W)
- 4K Dash Cam
- Remote Connectivity Control
- Smart Car Finder
- 4G-netwerk
- DAB/Online DAB
- Wi-Fi 6.0
- Bluetooth
- Ultra-Wideband (UWB)
- Digital Key
- 1x UWB Smart Key
- 1x NFC Key Card
- Firmware Over-the-Air (FOTA)
- NIO Auto Maps (navigatie, actuele verkeersinformatie, zoekfunctie)
- 3rd-Party Service-integratie
- User Account System
- NIO Call & eCall

TOURING
NIO eT5

Assisted and Intelligent Driving Hardware



NIO Adam
Super Computing

NIO Aquila
Super Sensing

33 sensoren met hoge prestaties:

- 1x Hoge-resolutie-LiDAR met extra groot bereik
- 7x 8 MP hoge-resolutiecamera
- 4x 3 MP camera met hoge gevoeligheid
- 1x Advanced Driver Monitoring System (ADMS)
- 5x Millimeter-Wave-radar
- 12x Ultrasonische sensor
- Hands-Off Detection (HOD)
- 2x High-Precision Positioning Unit

TOURING
NIOeT5

Assisted and Intelligent Driving Features



- Forward Collision Warning (FCW)
- Autonomous Emergency Braking (AEB)
- Blind Spot Detection (BSD)
- Lane Change Alert (LCA)
- Door Open Warning (DOW)
- Rear Cross Traffic Alert with Brake (RCTA-B)
- Front Cross Traffic Alert (FCTA)
- Lane Departure Warning (LDW)
- Lane Keeping Assist (LKA)
- Emergency Active Stop (EAS)
- Emergency Lane Keeping (ELK)
- Advanced Driver Monitoring System (ADMS)
- Intelligent Adaptive Cruise Control (i-ACC)
- Traffic Sign Recognition (TSR)
- Dynamic Environment Simulation & Display (ESD)
- Shiftless Automatic Parking Assist with Fusion (S-APA with Fusion)
- Power Swap with Assisted Parking (PSAP)
- Side Distance Indication System (SDIS)
- Lane Centering Control (LCC)
- Active Lane Change (ALC)

TOURING
NIO eT5

Veiligheid



- 2x Airbags voor
- 2x Zij-airbags voor
- 2x Gordijnairbags
- Airbag middenvoor
- 360° HD Surround View System
- Parkeersensoren voor en achter
- Guardian Mode
- Doorzichtig chassis
- Direct Tire Pressure Monitoring System (dTPMS)
- Elektrisch kinderslot
- Child Presence Detection (CPD)
- Alarmsysteem
- Voetgangerswaarschuwingssysteem
- Anti-Lock Braking System (ABS)
- Electronic Brake-force Distribution (EBD)
- Traction Control System (TCS)
- Electronic Stability Control (ESC)
- Emergency Brake Assist (EBA)
- Hill Start Assist (HSA)
- Dynamic Wheel Torque Control (DWT)
- Cornering Brake Control (CBC)

TOURING
NIO eT5

Standaard accessoires



- Vloermatten
- Geurensset (3 flacons, alleen bij Comfortpakket)
- Bandenreparatieset ¹
- EHBO-kit
- Gevarendriehoek
- Veiligheidsvest
- Sleepoog

1. Bandenreparatieset bevat bandenaftichtmiddel en luchtpomp.

TOURING
NIO eT5

Garantie

Basis

60 maanden / 150.000 km

Batterij

96 maanden / 160.000 km

Anti-corrosie

120 maanden / onbeperkt km

Uitgebreid NIO-aanbod

Wieluitlijning

Na de eerste 6 maanden / 5.000 km

Slijtage van onderdelen

Type 1*

6 maanden /
10.000 km

Type 2**

12 maanden /
20.000 km

Type 3***

36 maanden /
onbeperkt km

* Filter airconditioning, ruitenwischer

** Remblok, sleutelbatterij, zekering en relais (zonder ontsteking)

*** 12V-hulpaccu


TOURING
NIOeT5

Bandenlabels

Productinformatieblad

Gedelegeerde Verordening (EU) 2020/740

Naam of handelsmerk leverancier		Michelin	
Handelsbenaming		E PRIMACY ST	
Bandentypeaanduiding	Bandenklasse	545861	C1
Bandenmaataanduiding		245/45 R19	
Snelheidscategoriesymbool		V 240 km/h	
Belastingsindex		102	
Belastingsversie		XL	
Brandstofefficiëntieklasse		A	
Klasse grip op nat wegdek		B	
Rotgeluidemissieklasse	Rotgeluidemissiewaarde	B	70 dB
Band voor gebruik bij zware sneeuwval		No	
Band voor gebruik bij zware ijscondities		No	
Datum aanvang productie (Week / Jaar)		48/22	
Datum beëindiging productie (Week / Jaar)		-	
Adres van de leverancier		Service Consommateurs Michelin, place des Carmes-Déchaux 23, 63000 Clermont-Ferrand, FR	
Aanvullende informatie		245/45 R19 102V XL TL E PRIMACY ST I MI	




TOURING
NIO eT5


Bandenlabels

Productinformatieblad

Gedelegeerde Verordening (EU) 2020/740

Naam of handelsmerk leverancier		PIRELLI	
Handelsbenaming		PZERO	
Bandentypeaanduiding	Bandenklasse	41587	C1
Bandenmaataanduiding		245/40R20	
Snelheidscategoriesymbool		W 270 km/h	
Belastingsindex		99	
Belastingsversie		XL	
Brandstofefficiëntieklasse		B	
Klasse grip op nat wegdek		A	
Rotgeluidemissieklasse	Rotgeluidemissiewaarde	B	70 dB
Band voor gebruik bij zware sneeuwval		No	
Band voor gebruik bij zware ijscondities		No	
Datum aanvang productie (Week / Jaar)		18/22	
Datum beëindiging productie (Week / Jaar)		-	
Adres van leverancier		Pirelli Contact Center, Viale Piero e Alberto Pirelli 25, Milan, IT	
Aanvullende informatie			





nio.com/et5-touring

Disclaimer: Alle informatie in deze prijslijst is gebaseerd op de specificaties van de auto's zoals die van toepassing waren bij publiceren van deze prijslijst. De uitrusting of technische specificaties kunnen per markt verschillen. Impressies in deze prijslijst zijn onderdeel van wereldwijd materiaal en kunnen voorzien zijn van opties die niet leverbaar zijn in Nederland. Raadpleeg altijd onze klantenservice of bezoek ons als je vragen hebt over de specificaties. Wijzigingen, druk- en zetfouten voorbehouden.

De beschikbaarheid van voertuigmodellen, opties, specificaties en kleuren kan per markt verschillen. NIO behoudt zich het recht voor om zonder voorafgaande kennisgeving wijzigingen aan te brengen in voertuigvisualisaties. Er kunnen voertuigen worden getoond met optionele uitrusting die niet in alle markten verkrijgbaar is. Afbeeldingen of video's zijn uitsluitend bedoeld ter illustratie.

Neem voor meer informatie contact op met je NIO Specialist, stuur een e-mail naar contact.nl@nio.io of bel 00 8000 999 6699.

TOURING
NIO eT5



PRICE LIST

THE NETHERLANDS

TOURING
NIOeT5

Overview

Sales Prices & Options

- Vehicle & Battery
 - Wheels & Calipers
 - Exterior & Interior Colors
 - Comfort Package
 - NOMI
 - Intelligent Glass Roof Dimming
 - Trailer Package
-

Subscription Variants

- Available Variants
 - Available Color Combinations
-

Standard Features

- Dimensions & Weights
- Performance
- E-Powertrain
- Charging Cables
- Chassis System
- Exterior Features
- Interior Features
- Climate Control
- Seating Features
- Smart Cockpit
- Assisted and Intelligent Driving Hardware
- Assisted and Intelligent Driving Features
- Safety Features
- Standard Accessories

TOURING
NIOeT5

Sales Prices & Options

TOURING
NIO eT5

Vehicle & Battery

Vehicle

(including battery)

Brand	Model	Drive	Power (kW/pk)	Battery Type	WLTP Range (km)	CO2 Emission	Net List Price*	VAT	BPM	Fiscal Value	Consumer Price**
NIO	ET5 Touring	AWD	360/490	Standard Range	435	0	€ 51,077.69	€ 10,726.31	€ 667	€ 62,471	€ 63,900
NIO	ET5 Touring	AWD	360/490	Long Range	560	0	€ 58,515.70	€ 12,288.30	€ 667	€ 71,471	€ 72,900

Vehicle with BaaS

(in combination with Battery-as-a-Service)

Brand	Model	Drive	Power (kW/pk)	Battery Type	WLTP Range (km)	CO2 Emission	Net List Price*	VAT	BPM	Fiscal Value	Consumer Price**
NIO	ET5 Touring	AWD	360/490	Standard Range	435	0	€ 41,160.33	€ 8,643.67	€ 667	€ 62,471	€ 51,900
NIO	ET5 Touring	AWD	360/490	Long Range	560	0	€ 41,160.33	€ 8,643.67	€ 667	€ 71,471	€ 51,900

BaaS subscription per month (Battery-as-a-Service)

Battery Type	Net	VAT	Total	Gross Price Battery
Standard Range	€ 140	€ 29	€ 169	€ 12,000
Long Range	€ 239	€ 50	€ 289	€ 21,000

* Net list price and consumer price of vehicle with BaaS (Battery-as-a-Service) do not include battery price.

** Consumer price includes delivery costs of € 1,429.00 incl. VAT. The delivery costs include a full battery, transport costs, interior and exterior cleaning, logistic handling, two license plates and a delivery inspection. Recycling fee car (€ 20.00 incl. VAT), recycling fee battery (€ 65.00 incl. VAT), license plate fee (€ 50.00 VAT-free) and name registration fee (€ 13.10 VAT-free).

TOURING
NIO eT5

Wheels & Calipers



19" Splendor Alloy Wheels

With 245/45 R19 Low Rolling Resistance Tires

Standard



20" Gladiator Alloy Wheels

With 245/40 R20 Noise-Reducing & Self-Sealing Performance Tires

€ 1,500

Front & Rear Brake Caliper Color



Black

Standard
with 19" Wheels



Airglow Orange

Standard
with 20" Wheels

TOURING
NIO eT5

Exterior Colors



Deep Black

€ 0




Star Gray

€ 0



Cloud White

€ 0



Stratosphere Blue

€ 0




Arctic Green


€ 1,500

TOURING
NIO eT5


Interior Colors



Sand



Onyx Black



Cool Gray

Interior	Headliner	Key Fob	
Sand	Black	White	€ 0
Onyx Black	Black	Black	€ 0
Cool Gray	Black	White	€ 0

Comfort Package

- Microfiber Headliner
 - Steering Wheel Heating
 - 14-Way Power Front Seats with 4-way Lumbar Support & Power Cushion Extension
 - Front Seat Ventilation
 - Front Seat Massage
 - Rear Seat Heating
 - Smart Fragrance System
 - Ionizer
- € 2,000

TOURING
NIO eT5

NOMI



NOMI Halo

Standard



NOMI Mate

€ 750



Intelligent Glass Roof Dimming

Automated Shading System for Panoramic Glass Roof

€ 1,500



Trailer Package

Electrically Deployable Tow Bar (1,400 kg Towing Capacity, 75 kg Towing Hook Load Capacity) incl. Trailer Mode

€ 1,250

TOURING
NIOeT5

Subscription Variants

TOURING
NIO eT5

Available Variants

	Base	Premier
Battery Type	Standard Range	Long Range
Wheels	19" Splendor Alloy Wheels with 245/45 R19 Low Rolling Resistance Tires	20" Gladiator Alloy Wheels with 245/40 R20 Noise-Reducing & Self-Sealing Performance Tires
Caliper Color	Black	Airglow Orange
Headliner Material	Clean+ Sustainable Fabric	Microfiber
Comfort Package	Not Included	Included
NOMI	NOMI Halo	NOMI Mate
Intelligent Glass Roof Dimming	Not Included	Included
Heated Wiper Bay	Included	Included
Trailer Package	Not Included	Included

Available Color Combinations

Exterior	Interior	Headliner	Key Fob
Stratosphere Blue	Sand	Black	White
Cloud White	Onyx Black	Black	Black
Deep Black	Onyx Black	Black	Black
Star Gray	Vetiver	Black	White
Arctic Green	Cool Gray	Black	White
Sunlight Gold	Sand	Black	White

TOURING
NIOeT5

Standard Features

TOURING
NIO eT5

Dimensions & Weights



2,165 kg

Empty Weight with Standard Range Battery

2,185 kg

Empty Weight with Long Range Battery

0.25

Drag Coefficient (Cd)

450 l

Cargo Volume

492 l

Volume Including Underfloor Storage

1,300 l

Volume with Rear Seats Folded

Additional Specifications:

Seating	5	Front Track	1,685 mm
Length	4,790 mm	Rear Track	1,685 mm
Width	2,178 mm	Turning Circle	11.8 m
Width (Mirrors Folded)	2,041 mm	Ground Clearance (Laden)	135 mm
Height	1,499 mm	Gross Vehicle Weight	2,730 kg
Wheelbase	2,888 mm	Maximum Payload Capacity	565 kg (Standard) 545 kg (Long)

TOURING
NIO eT5

Performance



4.0 s
0-100 km/h

200 km/h
Top Speed

Intelligent E-AWD

5 Basic Drive Modes

- Eco
- Comfort
- Sport
- Sport+
- Custom

4 Scenario-Based Drive Modes

- Snow
- Sand
- Wet
- Trailer (with Trailer Package)

TOURING
NIO eT5

E-Powertrain

360 kW / 490 hp

Maximum Power

700 Nm

Maximum Torque

150 kW / 204 hp

Electric Drive System (EDS) Front

210 kW / 286 hp

Electric Drive System (EDS) Rear

0

CO₂-Emissions*

Standard Range Battery

WLTP Range

Up to 435 km

Maximum Charge Power

11 kW AC / 140 or 170 kW DC**

Fast Charge Time

10 – 80%: 30 or 27 min**

Long Range Battery

WLTP Range

Up to 560 km

Maximum Charge Power

11 kW AC / 125 or 180 kW DC**

Fast Charge Time

10 – 80%: 40 or 26 min**

* Energy Consumption (WLTP): 19.3 - 21.6 kWh/100km. All CO₂ emissions and other values related to consumption are specified according to the legally applicable procedures. All values are based on the Worldwide harmonized Light vehicles Test Procedure (WLTP). The actual consumption differs from the WLTP specifications due to unique situations such as driving behaviour, weather conditions or vehicle load. For more information about tips on efficient driving, visit www.hetnieuwerijden.nl.

** The Standard Range and Long Range Batteries are available in two versions with differing peak charging potential. When a swap occurs in the BaaS network the Standard Range Battery received can vary between 140 kW and 170 kW and the Long Range Battery between 125 kW and 180 kW.

Charging Cables

Portable Charger

Standard	IEC Type 2
Input Voltage	230 V AC single-phase
Nominal Current	10 A
Nominal Power	2.3 kW
Cable Length	6.5 m
Weight	2.5 kg

-
- Charge with 10A (2.3 kW) at standard household sockets
 - LED lights indicating the charging status
 - 6.5 m cable for flexible application
 - With surge, grounding and overheating protection

Mode 3 Public Charging Cable

Standard	IEC Type 2
Input Voltage	400 V 3-phase
Nominal Current	32 A
Nominal Power	22 kW
Cable Length	7 m
Weight	5.2 kg

-
- Comes with velcro for bundling and carrying
 - Made of heat-resistant and flame-retardant materials

TOURING
NIOeT5

Chassis System



- Ultrahigh-Strength Steel & Aluminum Body
- Integral Casting All-Aluminum Rear Floor
- 50:50 Front & Rear Axle Load Ratio
- Five-Link Front Suspension
- Multi-Link Rear Suspension
- Hydraulic Rebound Stop
- Electric Power Steering (EPS)
- Intelligent Smooth Stop (ISS)
- Front NIO 4-Piston Brake Caliper
- Rear Single-Piston Floating Brake Caliper
- Regenerative Braking System
- Electric Parking Brake (EPB) & Autohold

TOURING NIO eT5

Exterior Features



- Moon Theme Exterior Pack
- Dual-Beam LED Headlights
- Auto High Beams
- Double-Dash Daytime Running Lights
- Adaptive Cornering LED Fog Lights
- LED Sweeping Turn Signals
- illumiBlade Taillight
- All-Glass Panoramic Sunroof
- Automatic Flush Door Handles
- Soft-Close Doors
- Frameless Windows
- Kick-Activated Power Tailgate
- Smart Charge Port Cover (Rear Left)
- Rear Privacy Glass
- Laminated Acoustic Glass (Front Windshield)
- Anti-UV and Heat-Insulating Glass
- Heated Wiper Bay
- Heated Side Mirrors
- Auto-Folding Side Mirrors
- Auto-Dimming Side Mirrors
- Side Mirror Surround Lights
- Automatic Rain-Sensing Windshield Wipers
- Windshield Wipers with Spray Nozzle
- Roof Rail (max. Capacity 75 kg)

TOURING
NIO eT5

Interior Features



- Clean+ Composite & Haptex Decor
- Microfiber Leather Steering Wheel
- Electric Tilt & Telescopic Steering Wheel
- Three-Spoke Sport Steering Wheel
- LED Reading Lights
- 256-Color Ambient Lighting
- Extra-Large Illuminated Vanity Mirrors
- Auto-Dimming Rear View Mirror
- Metal Tailgate Sill Plate
- Center Console Open Storage
- Smart Safe Box
- Cargo Underfloor Storage
- Trunk Cover
- Cargo Tie-Downs
- Portable Flash Light
- 1x USB Type-A Port (2.5 W)
- 2x USB Type-C Port (60 W)
- 2x 12V Power Socket (Front & Back)
- 2x ISOFIX

TOURING
NIO eT5

Climate Control



- 2-Zone Automatic Climate Control
- Heatpump A/C System
- Smart Invisible Air Vents
- Smart Air Quality System
- PM2.5 Sensor
- Antimicrobial and Anti-Allergen Activated Carbon Air Filter

TOURING
NIO eT5

Seating Features



- Haptex Perforated Artificial Leather Seats
- Front 12-Way Power Seats with 4-Way Lumbar Support
- Front Sport Seats with Integrated Headrests
- Front Seat Air Cushion
- Front Seat Memory and Easy Entry
- Front Seat Heating
- Rear 2-Way Headrests
- Rear Multifunctional Center Armrest
- Split-Folding Rear Seats (40:20:40)

TOURING NIO eT5

Smart Cockpit



- 10.2" HDR Digital Instrument Cluster
- 12.8" AMOLED Center Display
- 7.1.4 Immersive Sound System (23 Speakers, 1,000 W, Dolby Atmos)
- Smart Cabin Camera
- Wireless Charging Pad (Qi, max. 40 W)
- 4K Dash Camera
- Remote Connectivity Control
- Smart Car Finder
- 4G Network
- DAB/Online DAB
- Wi-Fi 6.0
- Bluetooth
- Ultra-Wideband (UWB)
- Digital Key
- 1x UWB-Based Smart Key Fob
- 1x NFC Key Card
- Firmware Over-the-Air (FOTA)
- NIO Auto Maps (Navigation, Real-Time Traffic Data, Poi Search)
- 3rd-Party Service Integration
- User Account System
- NIO Call & eCall

TOURING
NIO eT5

Assisted and Intelligent Driving Hardware



NIO Adam
Super Computing

NIO Aquila
Super Sensing

33 High-Performance Sensing Units:

- 1x Ultralong-Range High-Resolution LiDAR
- 7x 8MP High-Resolution Camera
- 4x 3MP High-Sensitization Dedicated Camera
- 1x Advanced Driver Monitoring System
- 5x Millimeter-Wave Radar
- 12x Ultrasonic Sensor
- Hands-Off Detection (HOD)
- 2x High-Precision Positioning Unit

TOURING
NIO eT5

Assisted and Intelligent Driving Features



- Forward Collision Warning (FCW)
- Autonomous Emergency Braking (AEB)
- Blind Spot Detection (BSD)
- Lane Change Alert (LCA)
- Door Open Warning (DOW)
- Rear Cross Traffic Alert with Brake (RCTA-B)
- Front Cross Traffic Alert (FCTA)
- Lane Departure Warning (LDW)
- Lane Keeping Assist (LKA)
- Emergency Active Stop (EAS)
- Emergency Lane Keeping (ELK)
- Advanced Driver Monitoring System (ADMS)
- Intelligent Adaptive Cruise Control (i-ACC)
- Traffic Sign Recognition (TSR)
- Dynamic Environment Simulation & Display (ESD)
- Shiftless Automatic Parking Assist with Fusion (S-APA with Fusion)
- Power Swap with Assisted Parking (PSAP)
- Side Distance Indication System (SDIS)
- Lane Centering Control (LCC)
- Active Lane Change (ALC)

TOURING
NIO eT5

Safety Features



- 2x Front Airbags
- 2x Front Side Airbags
- 2x Side Curtain Airbags
- Front Center Airbag
- 360° HD Surround View System
- Front & Rear Parking Radars
- Guardian Mode
- Transparent Chassis
- Direct Tire Pressure Monitoring System (dTPMS)
- Power Child Locks
- Child Presence Detection (CPD)
- Anti-Theft Alarm System
- Pedestrian Warning System
- Anti-Lock Braking System (ABS)
- Electronic Brake-Force Distribution (EBD)
- Traction Control System (TCS)
- Electronic Stability Control (ESC)
- Emergency Brake Assist (EBA)
- Hill Start Assist (HSA)
- Dynamic Wheel Torque Control (DWT)
- Cornering Brake Control (CBC)

TOURING
NIO eT5

Standard Accessories



- Carpet Interior Mats
- 3x Bottle Fragrance Kit (only for Comfort Package)
- Tire Repair Toolkit ¹
- First Aid Kit
- Warning Triangle
- Safety Vest
- Tow Hook

¹. Tire repair tool kit includes tire sealant and air pump.

TOURING
NIO eT5

Warranty

Basic

60 Months / 150,000 km

Battery

96 Months / 160,000 km

Anti-Perforation (Corrosion)

120 Months / unlimited km

Extended NIO Offers

Wheel Alignment

After first 6 Months / 5,000 km

Wear Parts

Type 1*

6 Months /
10,000 km

Type 2**

12 Months /
20,000 km

Type 3***

36 Months /
unlimited km

* Air conditioning, wiper blade

** Brake pad, key battery, fuse and relay (without ignition)

*** 12V auxiliary battery


TOURING
NIO eT5

Tire Labels

Product Information Sheet

Delegated Regulation (EU) 2020/740

Supplier name or trademark		Michelin	
Commercial name or trade designation		E PRIMACY ST	
Tire type identifier	Tire class	545861	C1
Tire size designation		245/45 R19	
Speed category symbol		V 240 km/h	
Load-capacity index		102	
Load version		XL	
Fuel efficiency class		A	
Wet grip class		B	
Ext. rolling noise class	Ext. rolling noise value	B	70 dB
Tire for use in severe snow conditions		No	
Tire for use in severe ice conditions		No	
Date of start of production (Week / Year)		48/22	
Date of end of production (Week / Year)		-	
Supplier's address		Service Consommateurs Michelin, place des Carmes-Déchaux 23, 63000 Clermont-Ferrand, FR	
Additional information		245/45 R19 102V XL TL E PRIMACY ST MI	




TOURING
NIO eT5


Tire Labels

Product Information Sheet

Delegated Regulation (EU) 2020/740

Supplier name or trademark		PIRELLI	
Commercial name or trade designation		PZERO	
Tire type identifier	Tire class	41587	C1
Tire size designation		245/40R20	
Speed category symbol		W 270 km/h	
Load-capacity index		99	
Load version		XL	
Fuel efficiency class		B	
Wet grip class		A	
Ext. rolling noise class	Ext. rolling noise value	B	70 dB
Tire for use in severe snow conditions		No	
Tire for use in severe ice conditions		No	
Date of start of production (Week / Year)		18/22	
Date of end of production (Week / Year)		-	
Supplier's address		Pirelli Contact Center, Viale Piero e Alberto Pirelli 25, Milan, IT	
Additional information			





nio.com/et5-touring

Disclaimer: As NIO will constantly retrofit its products and services, the above information may change and vary accordingly. We will spare no efforts in ensuring information completeness and accuracy. However, due to changing laws and regulations, differences in individual's understanding of relevant information, and untimeliness in information update, actual products and services offered may vary from the information contained in this document. Errors excepted.

The Availability of vehicle models, options, specifications and colors may vary by market. NIO reserves the right to make changes to vehicle visualizations without notice. Vehicles may be shown with optional equipment that is not available in all markets. Images or videos are for illustrative purposes only.

For more information, please contact your NIO Fellow or send e-mail to contact.nl@nio.io or call 00 8000 999 6699.