

NIO eT7



PRIJSLIJST

NEDERLAND

01/2025

Please find the
English Version
below

NIO eT7

Overzicht

Prijzen & Opties

- Voertuig & Batterij
 - Velgen & Remklauwen
 - Exterieur- & Interieurkleuren
 - Verdere opties
-

Subscription-varianten

- Beschikbare varianten
 - Beschikbare kleurencombinaties
-

Standaarduitrusting

- Afmetingen & Gewichten
- Prestaties
- E-Aandrijflijn
- Laadkabels
- Onderstel
- Exterieur
- Interieur
- Climate Control
- Stoelen
- Smart Cockpit
- Assisted and Intelligent Driving Hardware
- Assisted and Intelligent Driving Features
- Veiligheid
- Standaard accessoires

NIO eT7

Prijzen & Opties

NIO ET7

Voertuig & Batterij

Voertuig

(inclusief batterij)

Merk	Model	Aandrijving	Vermogen (kW/pk)	Batterij- type	WLTP- range (km)	CO2- uitstoot	Netto- catalogusprijs*	BTW	BPM	Fiscale waarde	Consumenten- adviesprijs**
NIO	ET7	AWD	480/653	Standard Range	445	0	€ 68.433,06	€ 14.370,94	€ 667	€ 83.471	€ 84.900
NIO	ET7	AWD	480/653	Long Range	580	0	€ 75.871,07	€ 15.932,93	€ 667	€ 92.471	€ 93.900

Voertuig met BaaS

(in combinatie met Battery-as-a-Service)

Merk	Model	Aandrijving	Vermogen (kW/pk)	Batterij- type	WLTP- range (km)	CO2- uitstoot	Netto- catalogusprijs*	BTW	BPM	Fiscale waarde	Consumenten- adviesprijs**
NIO	ET7	AWD	480/653	Standard Range	445	0	€ 58.515,70	€ 12.288,30	€ 667	€ 83.471	€ 72.900
NIO	ET7	AWD	480/653	Long Range	580	0	€ 58.515,70	€ 12.288,30	€ 667	€ 92.471	€ 72.900

BaaS-abonnement per maand (Battery-as-a-Service)

Batterijtype	Netto	BTW	Totaal	Bruto prijs batterij
Standard Range	€ 140	€ 29	€ 169	€ 12.000
Long Range	€ 239	€ 50	€ 289	€ 21.000

* Netto-catalogusprijs en consumentenadviesprijs van voertuig met BaaS (Battery-as-a-Service) zijn exclusief batterij.

** Consumentenadviesprijs bevat rijklaarmaakkosten t.w.v. € 1.429,00 incl. btw. De rijklaarmaakkosten bevatten o.a. volle batterij, transportkosten, reinigen binnen- en buitenkant, logistieke afhandeling, twee kentekenplaten en een afleverinspectie. Recyclingbijdrage auto (€ 20,00 incl. btw), recyclingbijdrage batterij (€65,00 incl. btw), kentekenregistratie (€ 50,00 btw-vrij) en tenaamstelling (€ 13,10 btw-vrij).

NIO eT7

Velgen & Remklauwen



20" Fluent lichtmetalen velgen

Met 245/45 R20 Low Rolling Resistance banden


Standaard



21" Vortex Carbon Fiber lichtmetalen velgen

Met 255/40 R21 Self-Sealing banden

€ 2.600



Airglow Orange remklauwen

Gekleurde Brembo-remklauwen voor & achter

Standaard

NIO eT7

Exterieurkleuren



Sunrise Beige
€ 0



Cloud White
€ 0



Star Gray
€ 0



Deep Black
€ 0



Southern Star
€ 1.680

Interieurkleuren



Sand Brown



Edelweiss White



Storm Gray

Interieur

Hemelbekleding

Smart Key

Sand Brown	Storm Gray	White	€ 0
Edelweiss White	Edelweiss White	White	€ 0
Storm Gray	Storm Gray	Black	€ 0

NIO eT7



NOMI

NOMI Mate

Standaard

Trailerpakket

Elektrisch uitklapbare trekhaak (max. trekgewicht 2.000 kg, kogeldruk 100 kg)
incl. Trailer Mode voor aangepaste voertuiginstellingen

Standaard

NIO eT7

Subscription-varianten

NIO eT7

Beschikbare varianten

Batterij-type	Velgen	Airglow Orange remklauwen	NOMI Mate	Trailer-pakket
Standard Range	20" Fluenta lichtmetalen velgen	Inbegrepen	Inbegrepen	Inbegrepen
Long Range	21" Vortex Carbon Fiber lichtmetalen velgen	Inbegrepen	Inbegrepen	Inbegrepen

Beschikbare kleurencombinaties

Exterieur	Interieur	Hemelbekleding	Smart Key
Cloud White	Storm Gray	Storm Gray	Black
Star Gray	Storm Gray	Storm Gray	Black
Star Gray	Edelweiss	Edelweiss	White
Sunrise Beige	Storm Gray	Storm Gray	Black
Deep Black	Storm Gray	Storm Gray	Black
Deep Black	Sand Brown	Storm Gray	White
Southern Star	Storm Gray	Storm Gray	Black
Southern Star	Edelweiss	Edelweiss	White

NIO eT7

Standaarduitrusting

NIO eT7

Afmetingen & Gewichten



2.334 kg

Ledig gewicht met Standard Range Batterij

363 l

Inhoud bagageruimte

2.354 kg

Ledig gewicht met Long Range Batterij

0,21

Weerstandscoefficiënt (Cd)

Aditionele specificaties:

Zitplaatsen	5	Spoorbreedte voor	1.668 mm
Lengte	5.101 mm	Spoorbreedte achter	1.672 mm
Breedte	2.202 mm	Draaicirkel	12,5 m
Breedte (spiegels ingeklapt)	2.054 mm	Bodemvrijheid (beladen)	128 mm
Height	1.509 mm	Toegestane max. massa	2.900 kg
Wheelbase	3.060 mm	Max. laadvermogen	566 kg (Standard) 546 kg (Long)

NIO eT7

Performance



3,8 s
0-100 km/u

200 km/u
Topsnelheid

Intelligent E-AWD

5 Basis rijmodi

- Eco
- Comfort
- Sport
- Sport+
- Custom

4 Scenario-gebaseerde rijmodi ¹

- Snow
- Sand
- Wet
- Easy Pass
- Trailer

De bovenstaande informatie is alleen voor informatieve doeleinden. Alle gegevens zijn gehomologeerde gegevens of technische schattingen die kunnen verschillen als gevolg van verschillende testfactoren zoals locatie, weer- en wegomstandigheden, batterijniveau, lading, banden etc.

NIO eT7

E-Aandrijflijn

480 kW / 653 pk

Max. vermogen

850 Nm

Max. koppel

180 kW / 245 pk

Electric Drive System (EDS) voor

300 kW / 408 pk

Electric Drive System (EDS) achter

0

CO₂-uitstoot*

Standard Range Batterij

WLTP-actieradius

Tot 451 km

Max. laadvermogen

11 kW AC / 140 of 170 kW DC**

Snellaadtijd

10 – 80%: 30 of 27 min**

Long Range Batterij

WLTP-actieradius

Tot 584 km

Max. laadvermogen

11 kW AC / 125 of 180 kW DC**

Snellaadtijd

10 – 80%: 40 of 26 min**

* Alle CO₂-emissies en overige waarden gerelateerd aan het verbruik zijn opgegeven volgens de wettelijk geldende procedures. Alle waarden zijn op basis van de World-wide harmonized Light vehicles Test Procedure (WLTP). Het praktijkverbruik wijkt af van de WLTP-opgaves door unieke situaties als rijgedrag, weersomstandigheden of belasting van het voertuig. Voor meer informatie omtrent tips omtrent efficiënt rijden kijk op www.hetnieuwerijden.nl.

** De Standard Range en Long Range Batterijen zijn verkrijgbaar in twee versies met een verschillend max. laadvermogen. Na een swap in een Power Swap Station, kan het max. laadvermogen van de ontvangen Standard Range Batterij variëren tussen 140 kW en 170 kW en van de Long Range Batterij tussen 125 kW en 180 kW.

NIO eT7

Laadkabels

Portable Charger

Standaard	IEC Type 2
Ingangsspanning	230 V AC 1 fase
Max. stroomsterkte	10 A
Max. laadvermogen	2,3 kW
Lengte	6,5 m
Gewicht	2,5 kg

-
- Laden met 10A (2,3 kW) aan een standaard stopcontact
 - LED-lampjes die de laadstatus aangeven
 - 6,5 m kabel voor flexibele toepassing
 - Met overspannings-, aardlek- en oververhittingsbeveiliging

Mode 3 Public Charging Cable

Standaard	IEC Type 2
Ingangsspanning	400 V 3 fase
Max. stroomsterkte	32 A
Max. laadvermogen	22 kW
Lengte	7 m
Gewicht	5,2 kg

-
- Geleverd met klittenband voor eenvoudig bundelen en dragen
 - Gemaakt van hittebestendige en brandvertragende materialen

NIO eT7

Onderstel



- Carrosserie van hoogwaardig staal en aluminium
- Integraal gegoten volledig aluminium achtervloer
- 50:50 voor- en achterasbelastingsverhouding
- Five-Link voorwielophanging
- Multi-Link achterwielophanging
- Intelligente luchtvering
- Continuous Damping Control (CDC)
- Electric Power Steering (EPS)
- Brembo-remklauwen voor met 4 zuigers
- Regeneratief remsysteem
- Electric Parking Brake (EPB) & Autohold

NIO eT7

Exterieur



- Dual-Beam LED-koplampen
- Auto-leveling koplampen
- Automatisch grootlicht
- Double-Dash LED-dagrijverlichting
- Adaptieve LED-mistlampen
- Dynamische LED-richtingaanwijzers
- Heartbeat-achterlicht
- Moon exterieurpakket
- Glazen panoramadak
- Auto-Flush-deurgrepen
- Soft-Close-deuren
- Frameless windows
- Elektrische achterklep met voetsensor
- Smart Charge-aansluiting
- Gelamineerd akoestisch glas
- Privacyglas achter
- UV- en warmtewerend glas
- Verwarmde buitenspiegels
- Elektrisch inklapbare buitenspiegels
- Automatisch dimmende buitenspiegels
- Surround Lights buitenspiegels
- Automatische ruitenwissers met regensensor
- Ruitenwissers met sproeikop

NIO eT7

Interieur



- Duurzaam Rattan & MicroCloud interieurelementen
- Microfiber hemelbekleding
- Microfiber stuurwiel
- Elektrisch verstelbaar stuurwiel
- Tweespaaks stuurwiel
- Stuurwielverwarming
- LED-leeslampjes
- Ambient Lighting in 256 kleuren
- Extra grote verlichte make-upspiegels
- Automatisch dimmende binnenspiegel
- Verlichte instaplijsten
- Metalen pedaalinleg
- Metalen dorpelplaat achterklep
- Open opbergruimte middenconsole
- Smart Safe Box
- 1x USB Type-A-aansluiting (2,5 W)
- 3x USB Type-C-aansluiting (60 W)
- 2x 12V-aansluiting (voor en achter)
- 2x ISOFIX

NIO eT7

Climate Control



- Automatic Climate Control met 3 zones
- Warmtepompsysteem
- Slimme onzichtbare ventilatieroosters
- Slim geursysteem
- Slim luchtkwaliteitssysteem
- Ionisator
- PM2,5-sensor
- Antimicrobieel en anti-allergeen actieve koolstof luchtfilter

NIO eT7

Stoelen



- Stoelbekleding van duurzaam Haptex® lederlook
- 14-voudig elektrisch verstelbare voorstoelen met 4-voudige lendensteunverstelling en in lengte verstelbaar zitvlak
- Voorstoelen met geheugenfunctie en Easy Entry
- Stoelverwarming voor
- Stoelventilatie voor
- Massagefunctie voor
- Stoelverwarming achter
- Stoelventilatie achter
- Massagefunctie achter
- Luchtkussensysteem achter
- Gevleugelde hoofdsteunen voor en achter
- Multifunctionele middenarmsteun achter

NIO eT7

Smart Cockpit



- 10.2" HDR digitaal instrumentenpaneel
- 12.8" AMOLED centrale display
- 6.6" HDR touch display achter
- 7.1.4 Immersive Sound System (23 Speakers, 1.000 W, Dolby Atmos)
- Enhanced Head-Up Display
- Slimme cabinecamera
- Draadloze oplader (Qi, max. 15 W)
- 4K Dash Cam
- Remote Connectivity Control
- Smart Car Finder
- 4G-netwerk
- DAB/Online DAB
- Wi-Fi 6.0
- Bluetooth
- Ultra-Wideband (UWB)
- Digital Key
- 1x UWB Smart Key
- 1x NFC Key Card
- Firmware Over-the-Air (FOTA)
- NIO Auto Maps (navigatie, actuele verkeersinformatie, zoekfunctie)
- 3rd-Party Service-integratie
- User Account System
- NIO Call & eCall

NIO eT7

Assisted and Intelligent Driving Hardware



NIO Adam
Super Computing

NIO Aquila
Super Sensing

33 sensoren met hoge prestaties:

- 1x Hoge-resolutie-LiDAR met extra groot bereik
- 7x 8 MP hoge-resolutiecamera
- 4x 3 MP camera met hoge gevoeligheid
- 1x Advanced Driver Monitoring System (ADMS)
- 5x Millimeter-Wave-radar
- 12x Ultrasonische sensor
- Hands-Off Detection (HOD)
- 2x High-Precision Positioning Unit

NIO eT7

Assisted and Intelligent Driving Features



- Forward Collision Warning (FCW)
- Autonomous Emergency Braking (AEB)
- Blind Spot Detection (BSD)
- Lane Change Alert (LCA)
- Door Open Warning (DOW)
- Rear Cross Traffic Alert with Brake (RCTA-B)
- Front Cross Traffic Alert (FCTA)
- Lane Departure Warning (LDW)
- Lane Keeping Assist (LKA)
- Emergency Active Stop (EAS)
- Emergency Lane Keeping (ELK)
- Advanced Driver Monitoring System (ADMS)
- Intelligent Adaptive Cruise Control (i-ACC)
- Traffic Sign Recognition (TSR)
- Dynamic Environment Simulation & Display (ESD)
- Shiftless Automatic Parking Assist with Fusion (S-APA with Fusion)
- Power Swap with Assisted Parking (PSAP)
- Side Distance Indication System (SDIS)
- Lane Centering Control (LCC)
- Active Lane Change (ALC)

NIO ET7

Veiligheid



- 2x Airbags voor
- 2x Zij-airbags voor
- 2x Gordijnairbags
- Airbag middenvoor
- 360° HD Surround View System
- Parkeersensoren voor en achter
- Guardian Mode
- Doorzichtig chassis
- Direct Tire Pressure Monitoring System (dTPMS)
- Elektrisch kinderslot
- Child Presence Detection (CPD)
- Alarmsysteem
- Voetgangerswaarschuwingssysteem
- Anti-Lock Braking System (ABS)
- Electronic Brake-force Distribution (EBD)
- Traction Control System (TCS)
- Electronic Stability Control (ESC)
- Emergency Brake Assist (EBA)
- Hill Start Assist (HSA)
- Dynamic Wheel Torque Control (DWT)
- Cornering Brake Control (CBC)

NIO eT7

Standaard accessoires



- Vloermatten
- Geurensset (3 flacons)
- Bandenreparatieset ¹
- EHBO-kit
- Gevarendriehoek
- Veiligheidsvest
- Sleepoog

1. Bandenreparatieset bevat bandenaafdichtmiddel (alleen voor 20-inch banden) en luchtpomp.

NIO eT7

Garantie

Basis

60 maanden / 150.000 km

Batterij

96 maanden / 160.000 km

Anti-corrosie

120 maanden / onbeperkt km

Uitgebreid NIO-aanbod

Wieluitlijning

Na de eerste 6 maanden / 5.000 km

Slijtage van onderdelen

Type 1*

6 maanden /
10.000 km

Type 2**

12 maanden /
20.000 km

Type 3***

36 maanden /
onbeperkt km

* Filter airconditioning, ruitenwisser

** Remblok, sleutelbatterij, zekering en relais (zonder ontsteking)

*** 12V-hulpaccu


NIO eT7

Bandenlabels

Productinformatieblad

Gedelegeerde Verordening (EU) 2020/740

Naam of handelsmerk leverancier		Bridgestone	
Handelsbenaming		TURANZA T005	
Bandentypeaanduiding	Bandenklasse	PSR0W609	C1
Bandenmaataanduiding		245/45R20	
Snelheidscategoriesymbool		W 270 km/h	
Belastingsindex		103	
Belastingsversie		XL	
Brandstofefficiëntieklasse		B	
Klasse grip op nat wegdek		B	
Rotgeluidemissieklasse	Rotgeluidemissiewaarde	B	72 dB
Band voor gebruik bij zware sneeuwval		No	
Band voor gebruik bij zware ijscondities		No	
Datum aanvang productie (Week / Jaar)		06/22	
Datum beëindiging productie (Week / Jaar)		-	
Adres van de leverancier		QA Operations, Via del Fosso de l Salceto 13/15, 00128 Rome, IT	
Aanvullende informatie			




NIO eT7


Bandenlabels

Productinformatieblad

Gedelegeerde Verordening (EU) 2020/740

Naam of handelsmerk leverancier		PIRELLI	
Handelsbenaming		PZERO	
Bandentypeaanduiding	Bandenklasse	41218	C1
Bandenmaataanduiding		255/40R21	
Snelheidscategoriesymbool		V 240 km/h	
Belastingsindex		102	
Belastingsversie		XL	
Brandstofefficiëntieklasse		C	
Klasse grip op nat wegdek		A	
Rotgeluidemissieklasse	Rotgeluidemissiewaarde	B	72 dB
Band voor gebruik bij zware sneeuwval		No	
Band voor gebruik bij zware ijscondities		No	
Datum aanvang productie (Week / Jaar)		47/21	
Datum beëindiging productie (Week / Jaar)		-	
Adres van leverancier		Pirelli Contact Center, Viale Piero e Alberto Pirelli 25, Milan, IT	
Aanvullende informatie			





nio.com/et7

Disclaimer: Alle informatie in deze prijslijst is gebaseerd op de specificaties van de auto's zoals die van toepassing waren bij publiceren van deze prijslijst. De uitrusting of technische specificaties kunnen per markt verschillen. Impressies in deze prijslijst zijn onderdeel van wereldwijd materiaal en kunnen voorzien zijn van opties die niet leverbaar zijn in Nederland. Raadpleeg altijd onze klantenservice of bezoek ons als je vragen hebt over de specificaties. Wijzigingen, druk- en zetfouten voorbehouden.

De beschikbaarheid van voertuigmodellen, opties, specificaties en kleuren kan per markt verschillen. NIO behoudt zich het recht voor om zonder voorafgaande kennisgeving wijzigingen aan te brengen in voertuigvisualisaties. Er kunnen voertuigen worden getoond met optionele uitrusting die niet in alle markten verkrijgbaar is. Afbeeldingen of video's zijn uitsluitend bedoeld ter illustratie.

Neem voor meer informatie contact op met je NIO Specialist, stuur een e-mail naar contact.nl@nio.io of bel 00 8000 999 6699.

NIO eT7



PRICE LIST

THE NETHERLANDS

NIO eT7

Overview

Sales Prices & Options

- Vehicle & Battery
 - Wheels & Calipers
 - Exterior & Interior Colors
 - Further Options
-

Subscription Variants

- Available Variants
 - Available Color Combinations
-

Standard Features

- Dimensions & Weights
- Performance
- E-Powertrain
- Charging Cables
- Chassis System
- Exterior Features
- Interior Features
- Climate Control
- Seating Features
- Smart Cockpit
- Assisted and Intelligent Driving Hardware
- Assisted and Intelligent Driving Features
- Safety Features
- Standard Accessories

NIO eT7

Sales Prices & Options

NIO ET7

Vehicle & Battery

Vehicle

(including battery)

Brand	Model	Drive	Power (kW/pk)	Battery Type	WLTP Range (km)	CO2 Emission	Net List Price*	VAT	BPM	Fiscal Value	Consumer Price**
NIO	ET7	AWD	480/653	Standard Range	445	0	€ 68,433.06	€ 14,370.94	€ 667	€ 83,471	€ 84,900
NIO	ET7	AWD	480/653	Long Range	580	0	€ 75,871.07	€ 15,932.93	€ 667	€ 92,471	€ 93,900

Vehicle with BaaS

(in combination with Battery-as-a-Service)

Brand	Model	Drive	Power (kW/pk)	Battery Type	WLTP Range (km)	CO2 Emission	Net List Price*	VAT	BPM	Fiscal Value	Consumer Price**
NIO	ET7	AWD	480/653	Standard Range	445	0	€ 58,515.70	€ 12,288.30	€ 667	€ 83,471	€ 72,900
NIO	ET7	AWD	480/653	Long Range	580	0	€ 58,515.70	€ 12,288.30	€ 667	€ 92,471	€ 72,900

BaaS subscription per month (Battery-as-a-Service)

Battery Type	Net	VAT	Total	Gross Price Battery
Standard Range	€ 140	€ 29	€ 169	€ 12,000
Long Range	€ 239	€ 50	€ 289	€ 21,000

* Net list price and consumer price of vehicle with BaaS (Battery-as-a-Service) do not include battery price.

** Consumer price includes delivery costs of € 1,429.00 incl. VAT. The delivery costs include a full battery, transport costs, interior and exterior cleaning, logistic handling, two license plates and a delivery inspection. Recycling fee car (€ 20.00 incl. VAT), recycling fee battery (€ 65.00 incl. VAT), license plate fee (€ 50.00 VAT-free) and name registration fee (€ 13.10 VAT-free).

NIO eT7

Wheels & Calipers



20" Fluent Alloy Wheels

With 245/45 R20 Low Rolling Resistance Tires


Standard



21" Vortex Carbon Fiber Alloy Wheels

With 255/40 R21 Self-Sealing Tires

€ 2,600



Airglow Orange Calipers

Colored Front and Rear Brake Calipers

Standard

NIO eT7

Exterior Colors



Sunrise Beige
€ 0



Cloud White
€ 0



Star Gray
€ 0



Deep Black
€ 0



Southern Star
€ 1,680

Interior Colors



Sand Brown



Edelweiss White



Storm Gray

Interior	Headliner	Key Fob	
Sand Brown	Storm Gray	White	€ 0
Edelweiss White	Edelweiss White	White	€ 0
Storm Gray	Storm Gray	Black	€ 0

NIO eT7



NOMI

NOMI Mate

Standard

Trailer Package

Electrically Deployable Tow Bar (2,000 kg Towing Capacity, 100 kg Towing Hook Load Capacity) incl. Trailer Mode

Standard

NIO eT7

Subscription Variants

NIO eT7

Available Variants

Battery Type	Wheels	Airglow Orange Calipers	NOMI Mate	Trailer Package
Standard Range	20" Fluenta Alloy Wheels	Included	Included	Included
Long Range	21" Vortex Carbon Fiber Alloy Wheels	Included	Included	Included

Available Color Combinations

Exterior	Interior	Headliner	Key Fob
Cloud White	Storm Gray	Storm Gray	Black
Star Gray	Storm Gray	Storm Gray	Black
Star Gray	Edelweiss	Edelweiss	White
Sunrise Beige	Storm Gray	Storm Gray	Black
Deep Black	Storm Gray	Storm Gray	Black
Deep Black	Sand Brown	Storm Gray	White
Southern Star	Storm Gray	Storm Gray	Black
Southern Star	Edelweiss	Edelweiss	White

NIO eT7

Standard Features

NIO eT7

Dimensions & Weights



2,334 kg

Empty Weight with Standard Range Battery

2,354 kg

Empty Weight with Long Range Battery

363 l

Cargo Volume

0.21

Drag Coefficient (Cd)

Additional Specifications:

Seating	5	Front Track	1,668 mm
Length	5,101 mm	Rear Track	1,672 mm
Width	2,202 mm	Turning Radius	12.5 m
Width (Mirrors Folded)	2,054 mm	Ground Clearance (Laden)	128 mm
Height	1,509 mm	Gross Vehicle Weight	2,900 kg
Wheelbase	3,060 mm	Maximum Payload Capacity	566 kg (Standard) 546 kg (Long)

NIO eT7

Performance



3.8 s
0-100 km/h

200 km/h
Top Speed

Intelligent E-AWD

5 Basic Drive Modes

- Eco
- Comfort
- Sport
- Sport+
- Custom

4 Scenario-Based Drive Modes ¹

- Snow
- Sand
- Wet
- Easy Pass
- Trailer

The above information is for informational purposes only. All data is homologated data that may differ due to different test factors such as location, weather, road conditions, battery level, load, tires etc.

NIO eT7

E-Powertrain

480 kW / 653 hp

Maximum Power

850 Nm

Maximum Torque

180 kW / 245 hp

Electric Drive System (EDS) Front

300 kW / 408 hp

Electric Drive System (EDS) Rear

0

CO₂-Emissions*

Standard Range Battery

WLTP Range

Up to 451 km

Maximum Charge Power

11 kW AC / 140 or 170 kW DC**

Fast Charge Time

10 – 80%: 30 or 27 min**

Long Range Battery

WLTP Range

Up to 584 km

Maximum Charge Power

11 kW AC / 125 or 180 kW DC**

Fast Charge Time

10 – 80%: 40 or 26 min**

* All CO₂ emissions and other values related to consumption are specified according to the legally applicable procedures. All values are based on the Worldwide harmonized Light vehicles Test Procedure (WLTP). The actual consumption differs from the WLTP specifications due to unique situations such as driving behaviour, weather conditions or vehicle load. For more information about tips on efficient driving, visit www.hetnieuwerijden.nl.

** The Standard Range and Long Range Batteries are available in two versions with differing peak charging potential. When a swap occurs in the BaaS network the Standard Range Battery received can vary between 140 kW and 170 kW and the Long Range Battery between 125 kW and 180 kW.

NIO eT7

Charging Cables

Portable Charger

Standard	IEC Type 2
Input Voltage	230 V AC single-phase
Nominal Current	10 A
Nominal Power	2.3 kW
Cable Length	6.5 m
Weight	2.5 kg

-
- Charge with 10A (2.3 kW) at standard household sockets
 - LED lights indicating the charging status
 - 6.5 m cable for flexible application
 - With surge, grounding and overheating protection

Mode 3 Public Charging Cable

Standard	IEC Type 2
Input Voltage	400 V 3-phase
Nominal Current	32 A
Nominal Power	22 kW
Cable Length	7 m
Weight	5.2 kg

-
- Comes with velcro for bundling and carrying
 - Made of heat-resistant and flame-retardant materials

NIO eT7

Chassis System



- Ultrahigh-Strength Steel & Aluminum Body
- Integral Casting All-Aluminum Rear Floor
- 50:50 Front & Rear Axle Load Ratio
- Five-Link Front Suspension
- Multi-Link Rear Suspension
- Smart Air Suspension
- Continuous Damping Control (CDC)
- Electric Power Steering (EPS)
- Vented Disc Brakes (Brembo 4-Piston Front Brake Calipers)
- Regenerative Braking System
- Electric Parking Brake (EPB) & Autohold

NIO eT7

Exterior Features



- Dual-Beam LED Headlights
- Auto-Leveling Headlights
- Auto High Beams
- Double-Dash Daytime Running Lights
- Adaptive Cornering LED Fog Lights
- LED Sweeping Turn Signals
- Heartbeat Taillight
- Moon Theme Exterior Pack
- All-Glass Panoramic Sunroof
- Automatic Flush Door Handles
- Soft-Close Doors
- Frameless Windows
- Kick-Activated Power Tailgate
- Smart Charge Port Cover
- Full Laminated Acoustic Glass
- Rear Privacy Glass
- Anti-UV and Heat-Insulating Glass
- Heated Side Mirrors
- Auto-Folding Side Mirrors
- Auto-Dimming Side Mirrors
- Side Mirror Surround Lights
- Automatic Rain-Sensing Windshield Wipers
- Windshield Wipers with Spray Nozzle

NIO eT7

Interior Features



- Sustainable Rattan & MicroCloud Decor
- Microfiber Headliner
- Microfiber Leather Steering Wheel
- 2-Spoke Electric Tilt & Telescopic Steering Wheel
- Heated Steering Wheel
- LED Reading Lights
- 256-Color Ambient Lighting
- Extra-Large Illuminated Vanity Mirrors
- Auto-Dimming Rear View Mirror
- Illuminated Door Sill Inlays
- Metal Pedal Inlays
- Metal Tailgate Sill Plate
- Center Console Open Storage
- Smart Safe Box
- 1x USB Type-A Port (2.5 W)
- 3x USB Type-C Port (60 W)
- 2x 12V Power Socket (Front & Back)
- 2x ISOFIX

NIO eT7

Climate Control



- 3-Zone Automatic Climate Control
- Heat Pump System
- Smart Invisible Air Vents
- Smart Fragrance System
- Smart Air Quality System
- Ionizer
- PM2.5 Sensor
- Antimicrobial & Anti-Allergen Activated Carbon Air Filter

NIO eT7

Seating Features



- Haptex Perforated Artificial Leather Seats
- Front 14-Way Power Seats with 4-Way Lumbar Support and Power Cushion Extension
- Front Seat Memory and Easy Entry
- Front Seat Heating
- Front Seat Ventilation
- Front Seat Massage
- Rear Seat Heating
- Rear Seat Ventilation
- Rear Seat Massage
- Rear Seat Air Cushion
- Front & Rear Winged Headrests
- Rear Multifunctional Center Armrest

NIO eT7

Smart Cockpit



- 10.2" HDR Digital Instrument Cluster
- 12.8" AMOLED Center Display
- 6.6" Rear HDR Touch Display
- 7.1.4 Immersive Sound System (23 Speakers, Dolby Atmos)
- Enhanced Head-Up Display
- Smart Cabin Camera
- Wireless Charging Pad (Qi, max. 15 W)
- 4K Dash Camera
- Remote Connectivity Control
- Smart Car Finder
- 4G Network
- DAB/Online DAB
- Wi-Fi 6.0
- Bluetooth
- Ultra-Wideband (UWB)
- Digital Key
- 1x UWB-Based Smart Key Fob
- 1x NFC Key Card
- Firmware Over-the-Air (FOTA)
- NIO Auto Maps (Navigation, Real-Time Traffic Data, Poi Search)
- 3rd-Party Service Integration
- User Account System
- NIO Call & eCall

NIO eT7

Assisted and Intelligent Driving Hardware



NIO Adam
Super Computing

NIO Aquila
Super Sensing

33 High-Performance Sensing Units:

- 1x Ultralong-Range High-Resolution LiDAR
- 7x 8MP High-Resolution Camera
- 4x 3MP High-Sensitization Dedicated Camera
- 1x Advanced Driver Monitoring System
- 5x Millimeter-Wave Radar
- 12x Ultrasonic Sensor
- Hands-Off Detection (HOD)
- 2x High-Precision Positioning Unit

NIO eT7

Assisted and Intelligent Driving Features



- Forward Collision Warning (FCW)
- Autonomous Emergency Braking (AEB)
- Blind Spot Detection (BSD)
- Lane Change Alert (LCA)
- Door Open Warning (DOW)
- Rear Cross Traffic Alert with Brake (RCTA-B)
- Front Cross Traffic Alert (FCTA)
- Lane Departure Warning (LDW)
- Lane Keeping Assist (LKA)
- Emergency Active Stop (EAS)
- Emergency Lane Keeping (ELK)
- Advanced Driver Monitoring System (ADMS)
- Intelligent Adaptive Cruise Control (i-ACC)
- Traffic Sign Recognition (TSR)
- Dynamic Environment Simulation & Display (ESD)
- Shiftless Automatic Parking Assist with Fusion (S-APA with Fusion)
- Power Swap with Assisted Parking (PSAP)
- Side Distance Indication System (SDIS)
- Lane Centering Control (LCC)
- Active Lane Change (ALC)

NIO eT7

Safety Features



- 2x Front Airbags
- 2x Front Side Airbags
- 2x Side Curtain Airbags
- Front Center Airbag
- 360° HD Surround View System
- Front & Rear Parking Radars
- Guardian Mode
- Transparent Chassis
- Direct Tire Pressure Monitoring System (dTPMS)
- Power Child Locks
- Child Presence Detection (CPD)
- Anti-Theft Alarm System
- Pedestrian Warning System
- Anti-Lock Braking System (ABS)
- Electronic Brake-Force Distribution (EBD)
- Traction Control System (TCS)
- Electronic Stability Control (ESC)
- Emergency Brake Assist (EBA)
- Hill Start Assist (HSA)
- Dynamic Wheel Torque Control (DWT)
- Cornering Brake Control (CBC)

NIO eT7

Standard Accessories



- Carpet Interior Mats
- Fragrance Kit (3 Bottles)
- Tire Repair Toolkit ¹
- First Aid Kit
- Warning Triangle
- Safety Vest
- Tow Hook

¹. Tire repair tool kit includes tire sealant (only for 20" tires) and air pump.

NIO eT7

Warranty

Basic

60 Months / 150,000 km

Battery

96 Months / 160,000 km

Anti-Perforation (Corrosion)

120 Months / unlimited km

Extended NIO Offers

Wheel Alignment

After first 6 Months / 5,000 km

Wear Parts

Type 1*

6 Months /
10,000 km

Type 2**

12 Months /
20,000 km

Type 3***

36 Months /
unlimited km

* Air conditioning, wiper blade

** Brake pad, key battery, fuse and relay (without ignition)

*** 12V auxiliary battery


NIO eT7

Tire Labels

Product Information Sheet

Delegated Regulation (EU) 2020/740

Supplier name or trademark		Bridgestone	
Commercial name or trade designation		TURANZA T005	
Tire type identifier	Tire class	PSR0W609	C1
Tire size designation		245/45R20	
Speed category symbol		W 270 km/h	
Load-capcity index		103	
Load version		XL	
Fuel efficiency class		B	
Wet grip class		B	
Ext. rolling noise class	Ext. rolling noise value	B	72 dB
Tire for use in severe snow conditions		No	
Tire for use in severe ice conditions		No	
Date of start of production (Week / Year)		06/22	
Date of end of production (Week / Year)		-	
Supplier's address		QA Operations, Via del Fosso de l Salceto 13/15, 00128 Rome, IT	
Additional information			




NIO eT7


Tire Labels

Product Information Sheet

Delegated Regulation (EU) 2020/740

Supplier name or trademark		PIRELLI	
Commercial name or trade designation		PZERO	
Tire type identifier	Tire class	41218	C1
Tire size designation		255/40R21	
Speed category symbol		V 240 km/h	
Load-capacity index		102	
Load version		XL	
Fuel efficiency class		C	
Wet grip class		A	
Ext. rolling noise class	Ext. rolling noise value	B	72 dB
Tire for use in severe snow conditions		Nein	
Tire for use in severe ice conditions		Nein	
Date of start of production (Week / Year)		47/21	
Date of end of production (Week / Year)		-	
Supplier's address		Pirelli Contact Center, Viale Piero e Alberto Pirelli 25, Milan, IT	
Additional information			





nio.com/et7

Disclaimer: As NIO will constantly retrofit its products and services, the above information may change and vary accordingly. We will spare no efforts in ensuring information completeness and accuracy. However, due to changing laws and regulations, differences in individual's understanding of relevant information, and untimeliness in information update, actual products and services offered may vary from the information contained in this document. Errors excepted.

The Availability of vehicle models, options, specifications and colors may vary by market. NIO reserves the right to make changes to vehicle visualizations without notice. Vehicles may be shown with optional equipment that is not available in all markets. Images or videos are for illustrative purposes only.

For more information, please contact your NIO Fellow or send e-mail to contact.nl@nio.io or call 00 8000 999 6699.